Preparing Your CALIFORNIA Drinking Water Consumer Confidence Report (CCR)

Guidance for Water Suppliers

January 1, 2005 update

yellow; some out-of-date guidance has simply been deleted)

Notice

This document provides guidance to water suppliers on the California Department of Health Services' (Department's) current interpretation of the California Consumer Confidence Report regulations that took effect May 26, 2001 (see regulations at http://www.dhs.ca.gov/ps/ddwem/publications/CCR/CCRfinalregs4-23-01.PDF). The guidance is designed to implement State and national policy on these issues. The document does not, however, substitute for regulations; nor is it a regulation itself. Thus, it cannot impose legally-binding requirements on the Department or water suppliers, and may not apply to a particular situation based upon its circumstances. State decision makers retain the discretion to adopt approaches on a case-by-case basis that differ from this guidance where appropriate. The Department may change this guidance in the future.

NOTE: Subsequent to the 2004 data CCR, there are certain to be changes in required content in terms of newly adopted Maximum Contaminant Levels, Public Health Goals, and other revised regulatory requirements. These will be posted on the Department's website, but the guidance itself may not be revised accordingly, most specifically, the appendices. Therefore, the water supplier should be aware that this guidance provides the details necessary to do only the CCR due July 2005.

Contents

| Introduction | 3 |
|--|----|
| I. What is a consumer confidence report? | 3 |
| II. Who must prepare a consumer confidence report? | 3 |
| III. When must a water system distribute its report? | |
| IV. What content is required in the report? | |
| Item 1: Water system information | |
| Item 2: Source(s) of water | |
| Item 3: Definitions | |
| Item 4: Detected contaminants | |
| Item 5: Compliance with other drinking water regulations | |
| Item 6: Educational information | |
| V. What should the report look like? | 18 |
| VI. How must a water system distribute its report? | 18 |
| Appendix A-1: Regulated contaminants with Primary MCLs or MRDLs | 20 |
| Microbiological Contaminants | 20 |
| Radioactive Contaminants | 22 |
| Inorganic Contaminants | |
| Synthetic Organic Contaminants including Pesticides and Herbicides | |
| Volatile Organic Contaminants | |
| Disinfection Byproducts, Disinfectant Residuals, and Disinfection Byproduct Precursors | |
| Appendix A-2 Regulated Contaminants with Secondary MCLs | 37 |
| Appendix A-3: State Regulated Contaminants with No MCLs | 38 |
| Appendix A-4: Federal Regulated Contaminants with No MCLs | 39 |
| Appendix B: California's Detection Limits for Purposes of Reporting (DLRs) | 40 |
| Appendix C: Interpreting monitoring data | 47 |
| Appendix D: Certification Form (suggested format) | |
| Appendix E: List of Translations of "Note of Importance" for CCR | |
| | |

Introduction

This guide is for water suppliers who are preparing Consumer Confidence Reports. It explains all the requirements for report content, format, and distribution required for conformance with the State regulations [Title 22, Chapter 15, Article 20], California Health and Safety Code [Section 116470]. The State regulations took effect on May 26, 2001 (see http://www.dhs.ca.gov/ps/ddwem/publications/CCR/CCRfinalregs4-23-01.PDF).

The rationale for consumer confidence reports (CCRs) is that consumers have the right to know what is in their drinking water and where that water comes from. The reports help consumers to make informed choices that affect the health of themselves and their families. The reports also encourage consumers to consider the challenges of delivering safe drinking water. Educated consumers are more likely to help protect their drinking water sources and to understand the true costs of safe drinking water.

Water suppliers, states and EPA are all working to educate consumers about the sources and quality of their drinking water, and to increase their involvement in decisions about it. EPA has revised its public notification requirements to speed up notification of serious health threats and simplify notification of other violations. The Department is in the process of adopting those revisions (see draft regulations at

http://www.dhs.ca.gov/ps/ddwem/publications/Regulations/publicnoticedraftreg11-25-02.pdf). Systems and states are including citizens in decisions regarding use of the drinking water state revolving fund and in planning source water assessment programs. Consumers who are familiar with the basic drinking water information in CCRs will be able to participate more effectively in these processes.

I. What is a consumer confidence report?

In 1996, Congress amended the Safe Drinking Water Act, adding a requirement that water systems deliver to their customers a brief annual water quality report, similar to the Annual Water Quality Report (AWQR) that California utilities began distributing in 1990. However, the CCR regulatory requirements are more specific and detailed in terms of content and format than those for the AWQR. For example, detected contaminants must be displayed in a single table while additional information must be provided elsewhere. Most reports fit on a few sheets of paper. A report that contains *too much* information or is full of technical jargon can discourage consumers from learning about their drinking water.

II. Who must prepare a consumer confidence report?

Every community water system and every nontransient-noncommunity water system must prepare and distribute a report.

A water wholesaler that sells water to another water system must provide the retailer with monitoring data and other information that will enable the retailer to produce a CCR, unless the two systems make a different contractual agreement. Wholesalers are not responsible for creating the report for the retailer, nor are they responsible for providing data on contaminants that the retailer monitors (such as lead or trihalomethanes). Regardless of who produces the report, the retail system is responsible for ensuring that its customers receive a report containing all required content.

In some cases, a retailer will contract with the wholesaler to produce the report. There are several options in this relationship. If the retailer had no new data to add, it could simply send out the wholesaler's CCR with a cover letter explaining their relationship. If the retailer did need to add data, it might choose to reprint the wholesaler's CCR with a new title/letterhead and extra data. (Most retailers will at least need to add total coliform monitoring results.) Either of these approaches is acceptable.

III. When must a water system distribute its report?

The reports are based on calendar-year data and must be delivered to consumers annually by July 1, so the first report prepared according to the state CCR requirements was due July 1, 2001.

Wholesalers must deliver the previous calendar year's data/information to their buyers by April each year (unless there is a separate agreement). A new community or nontransient-noncommunity water system must deliver its first report by July 1 of the year after its first full calendar year in operation, and annually thereafter.

IV. What content is required in the report?

This guidance describes California's requirements for a CCR and suggests (using the words "we encourage," "should," and "may") other sections or explanations that will help your customers understand the report. **Note** that California requires more information and, in some cases, different information than the federal rule, so be sure to follow State regulations and this guidance, not the federal rule or guidance. If you are familiar with the Federal requirements, you should be aware of the following differences between the Federal and State rules; the State requires:

- Both community and nontransient-noncommunity water systems to distribute CCRs
- Inclusion of public health goals (PHGs) in place of MCLGs for detected contaminants, unless no PHG has been adopted yet
- Modified language for definitions
- Additional definitions (PHG and primary drinking water standard)
- Modified language for contaminant sources and health effects
- Inclusion of secondary MCLs for any detected contaminants along with any detected levels for sodium and hardness
- Use of State MCLs only (USEPA MCLs not required, except in the case of the Disinfectants/Disinfection Byproducts Rule which USEPA is implementing in California and the Department is in the process of adopting—the MCLs, MRDLs, and MRDLGs should be used when applicable)

- In addition to information on how to obtain a copy of a completed source water assessment, both the completion date and a vulnerability summary written by the party conducting the assessment are required.
- All CCRs must include a notice in Spanish informing people that the information therein is important; notices in other languages are required if specific regulatory criteria is met.

CHECKLIST FOR COMPLETED CCR

| | basic Consumer Confidence Report requirements |
|-----|--|
| | (please read on for details and recommended enhancements) |
| | |
| wa | ter system information |
| | name/phone number of contact person |
| _ | information on public participation opportunities |
| | information in Spanish that report content is important |
| | information for other non-English speaking populations, if applicable |
| SOI | urces of water |
| | type, name, and location of water sources |
| | if source water assessment completed, completion date, availability and vulnerability assessment |
| | |
| | finitions: |
| | MCL |
| | PHG |
| | MCLG |
| | primary drinking water standard |
| | others as needed (treatment technique, regulatory action level, MRDL, MRDLG, variances and |
| | exemptions) |
| de | tected contaminants in one or more tables |
| | summary of data on detected regulated & unregulated contaminants [both federal and state lists] |
| | MCL or MRDL expressed as a number equal to or greater than 1.0, PHG (or MCLG or MRDLG) in |
| | same units |
| | TT or regulatory action level designation if there is no MCL or MRDL |
| | compliance monitoring data in MCL/MRDL units for year of report, with detected level (see reg and guidance Appendix C) and range of sample results |
| | for turbidity, reporting differs (see guidance and reg) |
| J (| for coliforms, reporting differs (see guidance and reg) |
| | for lead/copper, 90 th percentile value, # of sampled sites and # exceeding action level |
| | for unregulated contaminants, average and range of contaminant detections |
| | if monitoring less than once a year, date of most recent sample, result and statement that data is from |
| | most recent sampling |
| | known or likely source of each detected contaminant with an MCL/MRDL |
| | MCL/MRDL violations highlighted |
| | definitions of all units used in the table |
| els | ewhere in report |
| | for MCL/MRDL violations, length of violation, health effects language (primary MCLS and MRDLs |
| | only) and explanation |
| | information on Cryptosporidium, radon, and other contaminants, if applicable |
| co | mpliance with other drinking water regulations |
| | explanation of violations, potential health effects, and steps taken to correct the violations |
| П | |

required educational information

- □ explanation of contaminants and their presence in drinking water
- warning for vulnerable populations about *Cryptosporidium*
- informational statements on arsenic, nitrate, and lead, if applicable

The Department encourages you to tailor the content of your CCR to local conditions. If you think that an added picture or graph would help your customers to understand your report, add it. If your customers would benefit from an explanation of your need for new treatment facilities, tell them. As long as any additional educational information is consistent with, and not detracting from, the purpose of the report, you may add it. For example, the CCR rule does not require a title for your report. However, you should give your report a title to catch the customer's attention. You may call the report a "consumer confidence report," a "water quality report," or choose another title

Customers are most interested in a clear statement of whether or not their drinking water meets all standards. Although it is not required by the regulations, you will help your customers if you tell them whether their water met all drinking water standards. Be cautious in using the word "safe" since water that meets standards and is safe for most people might not be safe for infants, chemotherapy patients, or people with HIV/AIDS.

EXAMPLE—Last year, as in years past, your tap water met all EPA and State drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has never violated a maximum contaminant level or any other water quality standard. [or, if you had a violation, begin with: Last year, we conducted more than __ tests for over 80 contaminants. We only detected __ of those contaminants, and found only _ at a level higher than the State allows. As we told you at the time, our water temporarily exceeded drinking water standards. For more information, see the paragraph marked Violation on the back.] This brochure is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. We are committed to providing you with information because informed customers are our best allies.

Item 1: Water system information

Identify the name of your system, and provide the following information about it:

- The telephone number of a person at the water system who can answer questions about the report.
- A list of known opportunities for public participation in decisions that affect drinking water quality (e.g., time and place of regularly-scheduled water board or city/county council meetings). If you do not have regularly-scheduled meetings, tell customers how to get information when meetings are announced.

All systems in California must include information in Spanish expressing the importance of the report or offering additional information. *In addition*, for each non-English speaking group

other than Spanish that exceeds 1,000 residents or 10% of the residents in the community, whichever is less, the system must include information in the appropriate language(s) expressing the importance of the report or offering additional information in that language. The Department will make the final determination of which systems need to include this information.

EXAMPLE—This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

- > -Spanish: Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.
- > -French: Ce rapport contient des informations importantes sur votre eau potable. Traduisez-le ou parlez en avec quelqu'un qui le comprend bien.

See Appendix E for additional languages.

Item 2: Source(s) of water

Describe your water (ground water, surface water, or a blend), and the commonly-used name(s) (if such a name exists) and locations of your water source(s). We encourage you to provide a simple map of your system's sources. Note that water systems currently have the flexibility to address security concerns. Listing the water body where the intake is located for a surface water source and the name of the principal aquifer for a ground water source would be appropriate.

Explaining your various interconnections and back-up sources may be difficult, but it is important that consumers understand that the source of their water may vary during the year. Remember to include in your table of detected contaminants monitoring data for these "extra" sources if you use water from them. If your situation is complex, you may need to work with someone from the Department or Local Primacy Agency (LPA) to decide what information belongs in your report.

If a source water assessment has been completed, tell customers the date it was completed and where to get a copy, and provide a brief summary of your source water's vulnerability to contamination based on the assessment findings. If the Department or LPA conducted the assessment, it will provide the summary for you to include. If you conducted your own assessment, you may write the summary yourself; the following is an example provided by the Drinking Water Source Assessment and Protection Program.

| <i>EXAMPLI</i> | EAn | assessmen | ıt of the | drinking | g water so | urce(s) fo | r <u>XYZ water .</u> | syste | <u>m</u> was | completed |
|-----------------|--------|------------------|-----------|-----------|------------|------------|----------------------|-------|--------------|--------------|
| in <u>month</u> | and y | <u>ear</u> . The | source(| s) are co | onsidered | most vuli | nerable to th | ie fo | llowing | g activities |
| associatea | l with | contamin | ants dei | ected in | the wate | er supply: | | | | , and |
| | In | addition, | the so | urce is | conside | red most | vulnerable | to | these | activities: |
| | | | | | _, and | | <u>.</u> | | | |

A copy of the complete assessment is available at <u>DHS District Office address or Water System Address</u>. You may request a summary of the assessment be sent to you by contacting <u>DHS district engineer or Water System Representative</u> at <u>phone number</u>.

If you do not have information from the source water assessment, we encourage you to include any other information about potential sources of contamination that is readily available to you; for example, information contained in a sanitary survey. This is your opportunity to educate your customers about the impacts that they and others have on the quality of their source water. You may want to provide pollution prevention tips or information on local watershed cleanup activities.

Item 3: Definitions

Every CCR must include definitions of key terms that consumers will need to understand the contaminant data. You must use the definitions listed below.

- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.
- **Public Health Goal (PHG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.
- Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.
- **Primary Drinking Water Standard or PDWS**: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Include the following definitions only if your report contains information on a detected contaminant that is regulated by an action level (e.g., lead) or a treatment technique (e.g., turbidity):

- **Treatment Technique**: A required process intended to reduce the level of a contaminant in drinking water.
- **Regulatory Action Level**: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Include the following definition only if your water system operated under a variance or exemption during the calendar year that the report describes:

• Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Item 4: Detected contaminants

An essential part of the report is the table that shows the level of each detected contaminant and, if more than one sample is collected for compliance purposes, the table must show the range of levels of that contaminant you found during the year. See Appendix C for how to interpret monitoring data and determine the levels to enter in the tables.

A detected contaminant is any contaminant detected at or above its detection level for purposes of reporting (DLR). (See Appendix B) Do not include contaminants in the table that are not detected or are detected below the DLR. If you sometimes distribute water from emergency or back-up sources, you generally need to include monitoring results from these sources in the ranges of detections that you report in the table, unless the source's contribution is insignificant (e.g., one day per year).

The main table of detected contaminants must contain <u>only</u> data about regulated contaminants [contaminants subject to an MCL, MRDL, treatment technique (TT), or regulatory action level (AL)], and unregulated contaminants for which EPA or the Department requires monitoring under 40 CFR 141.40, or California Code of Regulations, Title 22, Chapter 15, Section 64450. Sodium and hardness data must also be included for consumers' information. You are no longer required to include data collected under the federal Information Collection Rule (ICR).

See below for special instructions about *Cryptosporidium* and radon. You may make several tables to separate regulated contaminants from those that do not have MCLs or MRDLs, such as unregulated contaminants. You may want to organize your table(s) by contaminant type (e.g., microbial, inorganic) or sampling site (e.g., treatment plant, distribution system). Report any additional monitoring data in another section of the CCR, separated from the regulated contaminant data (e.g., data specified in the regulations). If you want to list all the contaminants that you monitored but did not detect, you must do so outside of the table(s) of detected contaminants.

To ensure that consumers can easily compare detected contaminant levels to their MCLs/MRDLs, your table must display the MCL/MRDL for each contaminant in units that express it as a number equal to or greater than 1.0. For contaminants with primary MCLs, report the PHG (use the MCLG if no PHG has been set) and level of the detected contaminant in the same units as the MCL. For monitoring under the federal Disinfectants/Disinfectant Byproduct Rule, use the same approach for the MRDL and MRDLG. For example, atrazine is usually reported in mg/L. It is easier for customers to see that your water contains atrazine at a level 10 times lower than the MCL if you report the MCL as 1 ppb and the detected level as 0.1 ppb than if you were to report the MCL as 0.001 mg/L and the detected level as 0.0001 mg/L. In this case, you convert by multiplying the detected level and MCL by 1000. Appendices A-1 and A-2 show the conversion factor for each contaminant. When you round results to determine compliance, round before multiplying the results by these factors.

The CCR includes data from monitoring completed during the past calendar year. However, if you have monitoring waivers, or for another reason monitor less than once per year, use your

most recent data. For example, if you monitor once every three years for lindane and detect lindane in a sample, report that detected level each of the three years until you take a new sample. If the report contains detection data that is not from the calendar year indicated, the table must show the date of monitoring and the report must contain a brief statement explaining that the data presented is from the most recent monitoring done in compliance with regulations.

EXAMPLE—The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

You do not need to report monitoring results that are more than nine years old.

The table must contain, for each detected contaminant:

- 1) The MCL/MRDL expressed as a number equal to or greater than 1.0 (see Appendix A). If the contaminant is regulated by a TT, put the letters "TT" in place of the MCL. If the contaminant has a regulatory AL, specify the applicable regulatory Action Level.
- 2) The PHG (or MCLG or MRDLG if no PHG has been set), expressed in the same units as the primary MCL (see Appendix A; note that secondary MCLs do not have PHGs because secondary MCLs are set to protect the aesthetics of water; since PHGs are based on health concerns, there are none for secondary MCL contaminants).
- 3) The level of that contaminant expressed in the same units as the MCL/MRDL; see Appendix C for examples:
 - if compliance is determined by the results of a single sample, an initial sample averaged with one or two confirmation sample(s), or an average of four quarterly or six monthly samples, report the results as follows:
 - ➤ for a single sampling site, or multiple sampling sites for which data is being individually listed on the Report, include the sample result; if more than one sample was collected, include the average and range of the sample results.
 - For more than one sampling site, each of which has been sampled only once and for which data is being individual listed in the Report, include the average and range of the sample results. If the waters from the sampling sites are entering the distribution system at the same point, a flow-weighted average may be included.
 - ➤ for multiple sampling sites, one or more of which has been sampled more than once and for which data is being summarized together in the Report, include the average of the sampling site averages, <u>and</u> the range of sample results for all the sites. If the water from the sampling sites is entering the distribution system at the same point, a flow-weighted average may be included.

- if compliance is determined by a running annual average of all the samples taken from a sampling point (for example, chemical contaminants), include the highest annual average (as reported to the Department for compliance purposes) and the range of detections. (See Appendix C)
- if compliance is determined on a system-wide basis by a running annual average of all sampling point averages (TTHMs), include the highest running annual average and the range of detections. (See Appendix C)
- ➤ if compliance with the MCL is determined by monitoring after treatment is installed to remove a contaminant, include the average level detected in the water entering the distribution system and the range of sample results.
- if an MCL/MRDL compliance determination was made in the year for which sample results are being reported and the determination was based on an average of results from both the previous and reporting years, include the highest compliance determination average, and the range based only on results from the year for which data is being reported.
- > for turbidity (when reported pursuant to Section 64652.5—turbidity as a TT for systems that have met criteria for avoiding filtration), include the highest single measurement found in any month. You should explain the reasons for measuring turbidity.

EXAMPLE—Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.

➤ for turbidity (when reported pursuant to Section 64653–turbidity as a TT for systems that filter and use turbidity as an indicator of filtration performance), include the highest single measurement <u>and</u> the lowest monthly percentage of samples meeting the turbidity limits specified in Section 64653 for the relevant filtration technology. You should explain the reasons for measuring turbidity.

EXAMPLE—Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.

- ➤ for lead and/or copper, include the 90th percentile value from the most recent sampling (if it is a number greater than zero) and the number of sites that exceeded the action level. Do not report related parametric data.
- ➤ for total coliforms (systems that collect fewer than 40 samples per month), include the highest number of positive samples collected in any one month.
- ➤ for total coliforms (systems that collect 40 or more samples per month), include the highest percentage of positive samples collected in any one month.

- ➤ for fecal coliforms and E. coli, include the number of positive samples taken that year.
- ➤ If you detect beta particles in your water at or above 50 pCi/L, you should report the detected level in pCi/L.
- 4) The likely source of that contaminant, to the best of your knowledge. If you have reliable information, the report should identify a specific point source, such as "Al's chicken houses" or the "Super-shiny Paper Mill". If you lack reliable information on the specific source of a contaminant, include one or more of the typical sources listed in Appendix A that is most applicable to your situation. (Sources for chemicals with primary MCLs and MRDLs are in Appendix A-1; sources for chemicals with secondary MCLs are in Appendix A-2.)
- 5) For any contaminant detected in violation of a MCL/MRDL or a TT, or exceeding a regulatory AL, clearly highlight in the table the violation or exceedance. This indication could, for example, take the form of a different color type, a larger or bolder font, or a large star. Near, but not in, the table, include an explanation of the length of the violation/exceedance, the potential adverse health effects (for MRDLs and primary MCLs only, from Appendix A-1), and actions you took to address the violation/exceedance.
- 6) If you've detected unregulated contaminants for which Department or federal rules require monitoring (for example, Section 64450 or 40 CFR 141.40, except *Cryptosporidium*) include the average of all of the year's monitoring results <u>and</u> the range of detections. See Appendices A-3 and A-4 for lists of these contaminants.

We encourage you to include more information on the potential health effects of these contaminants if the results indicate a health concern. We consider any detection above a proposed MCL, California action level, or EPA health advisory level to indicate concern. You can call the Safe Drinking Water Hotline (800-426-4791) for this information or find it on EPA's web site at www.epa.gov/safewater/hfacts.html. California action levels are available on the Department's website (www.dhs.ca.gov/ps/ddwem/index.htm. For these contaminants, the Department recommends that the report contain an explanation of the significance of the results, noting the existence of the California action level, EPA health advisory or proposed MCL.

You may wish to explain the reasons for unregulated contaminant monitoring with a statement like the following.

EXAMPLE—Unregulated contaminant monitoring helps EPA and the California Department of Health Services to determine where certain contaminants occur and whether the contaminants need to be regulated.

Multiple distribution systems

If your system supplies water through two or more distribution systems that use different raw water sources and are not physically interconnected, you may want to include in the table a

separate column of detection data for each service area. If you do, describe the area that each distribution system serves.

Reporting on Cryptosporidium and radon

If you monitored for *Cryptosporidium* and/or radon and did not detect them, you do not need to discuss the monitoring or the results in your report.

If your system has performed monitoring that indicates the presence of radon in its finished water, include in the report:

- the results of monitoring (the analytical values reported by the lab).
- an explanation of the significance of the results. Tell customers if they need to be concerned by the information that the CCR provides.

EXAMPLE--Radon is a radioactive gas that you can't see, taste, or smell. It is found throughout the U.S. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from tap water from showering, washing dishes, and other household activities. Compared to radon entering the home through soil, radon entering the home through tap water will in most cases be a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. If you are concerned about radon in your home, test the air in your home. Testing is inexpensive and easy. Fix your home if the level of radon in your air is 4 picocuries per liter of air (pCi/L) or higher. There are simple ways to fix a radon problem that aren't too costly. For additional information, call your State radon program or call EPA's Radon Hotline (800-SOS-RADON).

If your system has performed monitoring that indicates the presence of *Cryptosporidium* either in its source water or its finished water, include the following information in your report:

- a summary of the results of the monitoring. You may choose whether or not to report the actual analytical results as a part of this summary.
- an explanation of the significance of the results. Tell customers if they need to be concerned by the information that the CCR provides.

EXAMPLE—Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. Although filtration removes cryptosporidium, the most commonly-used filtration methods cannot guarantee 100 percent removal. Our monitoring indicates the presence of these organisms in our source water and/or finished water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of cryptosporidium may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a

few weeks. However, immuno-compromised people are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

Reporting on additional monitoring

If your system has performed voluntary monitoring that indicates the presence of non-regulated contaminants in the finished water, we strongly encourage you to report any results that may indicate a health concern. Public knowledge of potential problems is in the interest of you and your customers. We consider any detection above a proposed MCL, EPA health advisory level, or California action level to indicate concern. Call the Safe Drinking Water Hotline or visit EPA's web site for this information; California action levels are available at the Department's website. For these contaminants, the Department recommends that the report contain:

- monitoring results
- explanation of the significance of the results, noting the existence of the California action level, USEPA health advisory or proposed MCL.

Item 5: Compliance with other drinking water regulations

If your water system violated one of the following rules during the year covered by the report, your CCR must describe the violation(s). Just as you must explain the potential health effects of any MCL/MRDL violation, you must provide a clear and readily understandable explanation of any other violation, potential adverse health effects (if any), and the steps the system has taken to correct the violation.

- Treatment techniques
 - (1) Filtration and disinfection (Surface Water Treatment Rule requirements; and the federal Interim Enhanced Surface Water Treatment Rule and Long Term Stage 1 Enhanced Surface Water Treatment Rule---See "Microbial Contaminants" under Appendix A-1). If the violation was a failure to install adequate filtration or disinfection equipment or processes, or there was a failure of that equipment or process, include the following language:

EXAMPLE: Inadequately treated water may contain disease-causing organisms. These organisms include bacteria, viruses, and parasites, which can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

(2) Disinfection Byproduct Precursors (Federal Disinfectants/Disinfection Byproducts Rule is applicable---See "Disinfection Byproducts...Control of DBP Precursers" under Appendix A-1.) If the violation was a failure to comply with the enhanced coagulation or enhanced softening requirement, include the following language:

EXAMPLE: Total organic carbon (TOC) has no health effects. However, total organic carbon provides a medium for the formation of disinfection byproducts. These byproducts include trihalomelthanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous system effects, and may lead to an increased risk of cancer.

- (3) Lead and copper control requirements. If the violation was a failure to meet corrosion control treatment, source water treatment, or lead service line requirements, include the health effects language for lead or copper listed in Appendix A.
- (4) Acrylamide and Epichlorohydrin--If you violate either treatment technique, you must include the relevant health effects language from Appendix A.
- Monitoring and reporting of compliance data. If your system failed to take the sample on time, the report should say "health effects unknown". If your system took the samples accurately and on-time, but mailed the results late, you don't need to discuss health effects.
- Record keeping requirements
- Special monitoring requirements
- Violation of a variance, an exemption, or an administrative or judicial order

Variances and Exemptions

If your system operated under a variance or exemption at any time during the year covered by the report, include an explanation of the variance or exemption, the date that it was issued, why it was granted, when it is up for renewal, and a status report on what the system is doing to remedy the problem. Also, tell your customers how they may participate in the review of the variance or exemption.

Item 6: Educational information

Your CCR must prominently display the following statements:

- (1) Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).
- (2) Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Your report must contain basic information about drinking water contaminants. Use the following language:

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA and the California Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

<u>Special requirements for Nitrate, Lead, Arsenic, and Trihalomethanes</u> If your water contains:

- Nitrate above 23 ppm (50 % of the MCL), but below 45 ppm (the MCL);
- **Arsenic** above 5 ppb up to 10 ppb;
- **Arsenic** above 10 ppb up to 50 ppb; and/or
- Lead above 15 ppb (the Action Level) in more than 5%, and up to and including 10%, of sites sampled [if your system samples fewer than 20 sites and has even one sample above the AL, include the standard explanation for an AL exceedance],

you must include in your report the relevant special educational statement provided below about that contaminant. NOTE: You may include additional information, either before or after the required statement.

Nitrate: Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

If a utility cannot demonstrate to the Department with at least five years of the most current monitoring data that its nitrate levels are stable, it must also add the following language to the preceding statement on nitrate: Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

Arsenic above 5 up through 10 ppb: While your drinking water meets the current standard for arsenic, it does contain low levels of arsenic. The standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The California Department of Health Services continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Arsenic above 10 ppb up through 50 ppb: Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

Lead: Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800-426-4791).

Trihalomethanes

If your system serves <10,000 people and has a running annual average for trihalomethanes above 80 ppb (the new MCL set by the Stage 1 Disinfectants/Disinfection Byproducts Rule that is not in effect till 2004 for your size system) but below the current MCL of 100 ppb, you must include the health effects statement for TTHMs contained in Appendix A-1. You should explain to your customers how you plan to reduce this level.

Other educational information

You are not limited to providing only the required information in your report. Although the regulations do not require information on treatment, the Department strongly recommends that water systems use the CCR as an opportunity to inform consumers about the treatment processes applied to their water, particularly fluoridation if it is used. Even though there is a regulation requiring that consumers be informed when fluoridation is initiated, or taken off line for an extended period, it is quite likely that many consumers are unaware that fluoride is being added. This information could potentially affect decisions they make regarding fluoride supplements and treatments.

You may use the report to explain (or include a diagram of) your treatment processes, source water protection efforts, or the costs of your making water safe to drink. You may include a statement from the mayor or general manager. Or you could educate your customers about water conservation, taste and odor issues, affiliations with programs such as the Partnership for Safe Water, and so forth. You may want to provide the address for EPA's drinking water web site (www.epa.gov/safewater/). The only limitation on this information is that it must not interfere with the educational purpose of the report.

V. What should the report look like?

You don't need a fancy computer or a graphic designer to produce a CCR that is easy to read and inviting to your customers. The best way to design your report is to spend some time looking at other reports. See what catches your eye, and copy it. A few things to consider:

- ★ Write short sentences. Keep your paragraphs short, too.
- ★ Don't make your text size too small. You might want to squeeze a few extra sentences in your report, but if you add too much, people might ignore the entire report.
- ★ Give a draft of your CCR to relatives or friends who aren't drinking water experts and ask them if it makes sense. Ask customers for their comments when you publish the report.
- ★ Don't distract from your main message with graphics and/or pictures that don't complement your message.
- ★ Be as simple and straight forward as possible. Avoid acronyms, initials, and jargon.
- ★ Consider printing the report on recycled paper and taking other steps to make the report "environmentally friendly". If you hope to get your customers involved in protecting source water, set a good example for them.

VI. How must a water system distribute its report?

You must mail or deliver a copy of your consumer confidence report to each of your customers, and make a good faith effort to get reports to non-bill-paying consumers. Deliver your CCR annually by July 1 of each year. You may include the reports with water bills, if feasible, or you may send the reports as separate mailers. Keep your report on file for five years, and make it available to the public upon request.

Send a copy to the Department or the local primacy agency, depending on who oversees your regulatory compliance, when you mail it to customers. Within three months of the report's due date, submit to the Department a certification (see Appendix D for a sample letter) that you distributed the report, and that its information is correct and consistent with the compliance monitoring data previously submitted to the Department. In addition, if your system is investorowned, send a copy of the CCR to the California Public Utilities Commission. We also encourage you to send copies to local TV and radio stations and newspapers. Systems that serve 100,000 or more people must post their reports on the Internet.

It is in your system's interest to spread the word about the quality of its water. Since many consumers of your water may not receive bills (people such as apartment renters), you must make a "good faith" effort to reach non-bill paying consumers. A "good faith" effort means selecting the most appropriate method(s) to reach those consumers from a menu of options that your primacy agency recommends. Those options include but are not limited to:

- posting the report on the Internet
- mailing the report to all postal patrons
- advertising the availability of the report in newspapers, TV, and radio
- publishing the report in a local newspaper
- posting the report in public places such as cafeterias of public buildings, libraries, churches, and schools

- delivering multiple reports for distribution by single-biller customers such as apartment buildings or large private employers
- delivering the report to community organizations

Systems that serve 100,000 or more people must post their reports on the Internet. EPA encourages other systems to post their reports as well. Many local governments have sites where you could post your report, even if your system itself does not have a site. EPA will make links from its website (www.epa.gov/safewater/) to all the reports of which it is aware.

Appendix A-1: Regulated contaminants with Primary MCLs or MRDLs

Key

AL=Regulatory action Level

MCL=Maximum Contaminant Level

PHG=Public Health Goal

MCLG=Maximum Contaminant Level Goal

MFL=million fibers per liter

NTU=Nephelometric Turbidity Units

pCi/ L=picocuries per liter (a measure of radioactivity)
ppm=parts per million, or milligrams per liter (mg/L)
ppb=parts per billion, or micrograms per liter (μg/L)
ppt=parts per trillion, or nanograms per liter
ppq=parts per quadrillion, or picograms per liter
TT=Treatment Technique

| Contaminant (units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language | | | | | | |
|-----------------------------------|--|---|--------------------------------|---------------|--------------------------------------|---|--|--|--|--|--|--|
| Microbiological Contaminants | | | | | | | | | | | | |
| Total Coliform Bacteria | samples/mo of monthly (systems the samples/mo | tems that colonth) more the samples are at collect < 4 onth), no monthly sample | an 5.0 % positive; 0 re than 1 | (0) | Naturally present in the environment | Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems. | | | | | | |
| Fecal coliform and <i>E. coli</i> | repeat samp positive, an | utine sample ble are total c d one of thes rm or <i>E. coli</i> | oliform e is also | (0) | Human and animal fecal waste | Fecal coliforms and <i>E. coli</i> are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, and people with severely-compromised immune systems. | | | | | | |
| Turbidity | TT | - | TT | n/a | Soil runoff | Turbidity has no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches. | | | | | | |
| Giardia lamblia | Surface wat | ter treatment | = | (0) | Naturally present in the | Inadequately treated water may contain disease-causing | | | | | | |

| Contaminant (units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|------------------------------------|-------------------------------|---------------------------------------|------------------|---------------|------------------------------------|---|
| Viruses | treatment te | chnique | | | environment | organisms. These organisms include bacteria, viruses, and |
| Heterotrophic plate count bacteria | | | | | | parasites that can cause symptoms such as nausea, cramps, |
| Legionella | | | | | | diarrhea, and associated headaches. |
| Cryptosporidium | | | | | | |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|---------------------------------------|-------------------------------|---------------------------------------|------------------|---------------|--|--|
| Radioactive Contam | inants | | | | | |
| Gross Beta particle activity (pCi/L) | 50 | - | 50 | n/a | Decay of natural and man- made deposits | Certain minerals are radioactive and may emit forms of radiation known as photons and beta radiation. Some people who drink water containing beta and photon emitters in excess of the MCL over many years may have an increased risk of getting cancer. |
| Strontium-90 (pCi/L) | 8 | - | 8 | n/a | Decay of natural and man- made deposits | Some people who drink water containing strontium- 90 in excess of the MCL over many years may have an increased risk of getting cancer. |
| Tritium (pCi/L) | 20,000 | - | 20,000 | n/a | Decay of natural and man- made deposits | Some people who drink water tritium in excess of the MCL over many years may have an increased risk of getting cancer. |
| Gross Alpha particle activity (pCi/L) | 15 | _ | 15 | n/a | Erosion of natural deposits | Certain minerals are radioactive and may emit a form of radiation known as alpha radiation. Some people who drink water containing alpha emitters in excess of the MCL over many years may have an increased risk of getting cancer. |
| Combined radium (pCi/L) | 5 | - | 5 | n/a | Erosion of natural deposits | Some people who drink water containing radium 226 or 228 in excess of the MCL over many years may have an increased risk of getting cancer. |
| Uranium (pCi/L) | 20 | | 20 | 0.43 | Erosion of natural deposits | Some people who drink water containing uranium in excess of the MCL over many years may have an increased risk of getting cancer and kidney toxicity. |
| Inorganic Contamin | ants | | | | | |
| Aluminum (ppm) | _ 1 | - | 1 | 0.6 | Erosion of natural deposits; residue from some surface water treatment processes | Some people who drink water containing aluminum in excess of the MCL over many years may experience short-term gastrointestinal tract effects |
| | | | | 20 | Discharge from petroleum | Some people who drink water containing antimony |

| | 1 | | | ı | T | T 7 |
|-------------------------|-------------------------------|---------------------------------------|------------------|---------------|--|--|
| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | | Health Effects Language |
| Antimony (ppb) | 0.006 | 1000 | 6 | | refineries; fire retardants; ceramics; electronics; solder | in excess of the MCL over many years may experience increases in blood cholesterol and decreases in blood sugar. |
| Arsenic (ppb) | 0.05 | 1000 | 50 | 0.004 | Erosion of natural deposits; runoff from orchards, glass and electronics production wastes | Some people who drink water containing arsenic in excess of the MCL over many years may experience skin damage or circulatory system problems, and may have an increased risk of getting cancer. |
| Asbestos (MFL) | 7 MFL | - | 7 | (7) | Internal corrosion of asbestos cement water mains; erosion of natural deposits | Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing benign intestinal polyps. |
| Barium (ppm) | 1 | - | 1 | 2 | Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits | Some people who drink water containing barium in excess of the MCL over many years may experience an increase in blood pressure. |
| Beryllium (ppb) | 0.004 | 1000 | 4 | 1 | Discharge from metal refineries, coal-burning factories, and from electrical, aerospace, and defense industries | Some people who drink water containing beryllium in excess of the MCL over many years may develop intestinal lesions. |
| Cadmium (ppb) | 0.005 | 1000 | 5 | 0.07 | Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and industrial chemical factories, and from metal refineries; runoff from waste batteries and paints | Some people who drink water containing cadmium in excess of the MCL over many years may experience kidney damage. |
| Chromium (ppb) | 0.05 | 1000 | 50 | (100) | Discharge from steel and pulp mills and chrome plating; erosion of natural | Some people who use water containing chromium in excess of the MCL over many years may experience |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language allergic dermatitis. |
|---------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|---|
| Copper (ppm) | AL=1.3 | _ | AL=1.3 | 0.17 | Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives | Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years may suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor. |
| Cyanide (ppb) | 0.15 | 1000 | 150 | 150 | Discharge from steel/metal, plastic and fertilizer factories | Some people who drink water containing cyanide in excess of the MCL over many years may experience nerve damage or thyroid problems. |
| Fluoride (ppm) | 2 | - | 2 | 1 | Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories | Some people who drink water containing fluoride in excess of the federal MCL of 4 mg/L over many years may get bone disease, including pain and tenderness of the bones. Children who drink water containing fluoride in excess of the state MCL of 2 mg/L may get mottled teeth. |
| Lead (ppb) | AL=0.015 | 1000 | AL=15 | 2 | Internal corrosion of household water plumbing systems; discharges from industrial manufacturers, erosion of natural deposits | Infants and children who drink water containing lead in excess of the action level may experience delays in their physical or mental development. Children may show slight deficits in attention span and learning abilities. Adults who drink this water over many years may develop kidney problems or high blood pressure. |
| Mercury [inorganic] (ppb) | 0.002 | 1000 | 2 | 1.2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland | Some people who drink water containing inorganic mercury in excess of the MCL over many years may experience mental disturbances, or impaired physical coordination, speech and hearing. |
| Nickel (ppb) | 0.1 | 1000 | 100 | 12 | Erosion of natural deposits; discharge from metal | Some people who drink water containing nickel in excess of the MCL over many years may experience |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|-------------------------|-------------------------------------|---------------------------------------|-------------------------------------|---------------|---|---|
| | | | | | factories | liver and heart effects. |
| Nitrate (ppm) | 45 (as nitrate) 10 (as nitrogen) | - | 45 (as nitrate) 10 (as nitrogen) | 45 as NO3; | Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits | Infants below the age of six months who drink water containing nitrate in excess of the MCL may quickly become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue baby syndrome. Pregnant women who drink water containing nitrate in excess of the MCL may experience anemia. |
| Nitrite (ppm) | 1 (as nitrogen) | _ | 1 (as nitrogen) | | Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits | Infants below the age of six months who drink water containing nitrate in excess of the MCL may quickly become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue baby syndrome. Pregnant women who drink water containing nitrate in excess of the MCL may experience anemia. |
| Selenium (ppb) | 0.05 | 1000 | 50 | (50) | Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive) | Selenium is an essential nutrient. However, some people who drink water containing selenium in excess of the MCL over many years may experience hair or fingernail losses, numbness in fingers or toes, or circulation system problems. |
| Thallium (ppb) | 0.002 | 1000 | 2 | 0.1 | Leaching from ore- processing sites; discharge from electronics, glass, and drug factories | Some people who drink water containing thallium in excess of the MCL over many years may experience hair loss, changes in their blood, or kidney, intestinal, or liver problems. |
| Synthetic Organic Co | ontamin | ants inc | luding] | Pestic | ides and Herbicides | S |
| 2,4-D (ppb) | 0.07 | 1000 | 70 | 70 | Runoff from herbicide used on row crops, range land, lawns and aquatic weeds | Some people who use water containing the weed killer 2,4-D in excess of the MCL over many years may experience kidney, liver, or adrenal gland |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|----------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| | | | | | | problems. |
| 2,4,5-TP [Silvex](ppb) | 0.05 | 1000 | 50 | 25 | Residue of banned herbicide | Some people who drink water containing Silvex in excess of the MCL over many years may experience liver problems. |
| Acrylamide | TT | - | TT | (0) | Added to water during sewage/ wastewater treatment | Some people who drink water containing high levels of acrylamide over a long period of time may experience nervous system or blood problems, or experience anemia, and may have an increased risk of getting cancer. |
| Alachlor (ppb) | 0.002 | 1000 | 2 | 4 | Runoff from herbicide used on row crops | Some people who use water containing alachlor in excess of the MCL over many years may experience eye, liver, kidney, or spleen problems, or experience anemia, and may have an increased risk of getting cancer. |
| Atrazine (ppb) | 0.001 | 1000 | 1 | 0.15 | Runoff from herbicide used on row crops and along railroad and highway right- of-ways | Some people who use water containing atrazine in excess of the MCL over many years may experience cardiovascular system problems or reproductive difficulties. |
| Bentazon (ppb) | 0.018 | 1000 | 18 | 200 | Runoff/leaching from herbicide used on beans, peppers, corn, peanuts, rice, and ornamental grasses | Some people who drink water containing bentazon in excess of the MCL over many years may experience prostrate and gastrointestinal effects. |
| Benzo(a)pyrene [PAH] (ppt) | 0.0002 | 1,000,000 | 200 | 4 | Leaching from linings of water storage tanks and distribution lines | Some people who use water containing benzo(a)pyrene in excess of the MCL over many years may experience reproductive difficulties and may have an increased risk of getting cancer. |
| Carbofuran (ppb) | 0.018 | 1000 | 18 | 1.7 | Leaching of soil fumigant used on rice and alfalfa and grape vineyards | Some people who use water containing carbofuran in excess of the MCL over many years may experience problems with their blood, or nervous or reproductive system problems. |

| | 1 | 1 | | 1 | | 1 |
|--------------------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
| Chlordane (ppt) | 0.0001 | 1,000,000 | 100 | 30 | Residue of banned termiticide | Some people who use water containing chlordane in excess of the MCL over many years may experience liver or nervous system problems and may have an increased risk of getting cancer. |
| Dalapon (ppb) | 0.2 | 1000 | 200 | 790 | Runoff from herbicide used on rights of way, and crops and landscape maintenance | Some people who drink water containing dalapon in excess of the MCL over many years may experience minor kidney changes. |
| Di(2-ethylhexyl) adipate (ppb) | 0.4 | 1000 | 400 | 200 | Discharge from chemical factories | Some people who drink water containing di (2- ethylhexyl) adipate in excess of the MCL over many years may experience toxic effects such as weight loss, liver enlargement, or reproductive difficulties. |
| Di(2-ethylhexyl) phthalate (ppb) | 0.004 | 1000 | 4 | 12 | Discharge from rubber and chemical factories; inert ingredient in pesticides | Some people who use water containing di (2- ethylhexyl) phthalate in excess of the MCL over many years may experience liver problems or reproductive difficulties, and may have an increased risk of getting cancer. |
| Dibromochloropropane (DBCP) (ppt) | 0.0002 | 1,000,000 | 200 | 1.7 | Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vineyards, tomatoes and tree fruit | Some people who use water containing DBCP in excess of the MCL over many years may experience reproductive problems and may have an increased risk of getting cancer. |
| Dinoseb (ppb) | 0.007 | 1000 | 7 | 14 | Runoff from herbicide used on soybeans, vegetables, and fruits | Some people who drink water containing dinoseb in excess of the MCL over many years may experience reproductive difficulties. |
| Dioxin [2,3,7,8-TCDD] (ppq) | .00000003 | 1,000,000,000 | 30 | (0) | Emissions from waste incineration and other combustion; discharge from chemical factories | Some people who use water containing dioxin in excess of the MCL over many years may experience reproductive difficulties and may have an increased risk of getting cancer. |
| Diquat (ppb) | 0.02 | 1000 | 20 | 15 | Runoff from herbicide use | Some people who drink water containing diquat in |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|--------------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| | | | | | for terrestrial and aquatic weeds | excess of the MCL over many years may get cataracts. |
| Endothall (ppb) | 0.1 | 1000 | 100 | 580 | Runoff from herbicide use for terrestrial and aquatic weeds; defoliant | Some people who drink water containing endothall in excess of the MCL over many years may experience stomach or intestinal problems. |
| Endrin (ppb) | 0.002 | 1000 | 2 | 1.8 | Residue of banned insecticide | Some people who drink water containing endrin in excess of the MCL over many years may experience liver problems. |
| Epichlorohydrin | TT | _ | TT | (0) | Discharge from industrial chemical factories; impurity of some water treatment chemicals | Some people who drink water containing high levels of epichlorohydrin over a long period of time may experience stomach problems, and may have an increased risk of getting cancer. |
| Ethylene dibromide (EDB) (ppt) | 0.00005 | 1,000,000 | 50 | 10 | Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still be present in soils due to runoff/leaching from grain and fruit crops | Some people who use water containing ethylene dibromide in excess of the MCL over many years may experience liver, stomach, reproductive system, or kidney problems, and may have an increased risk of getting cancer. |
| Glyphosate (ppb) | 0.7 | 1000 | 700 | 1000 | Runoff from herbicide use | Some people who drink water containing glyphosate in excess of the MCL over many years may experience kidneys problems or reproductive difficulties. |
| Heptachlor (ppt) | 0.00001 | 1,000,000 | 10 | 8 | Residue of banned pesticide | Some people who use water containing heptachlor in excess of the MCL over many years may experience liver damage and may have an increased risk of getting cancer. |
| Heptachlor epoxide (ppt) | 0.00001 | 1,000,000 | 10 | 6 | Breakdown of heptachlor | Some people who use water containing heptachlor epoxide in excess of the MCL over many years may |

| Г | T | | I | 1 | | |
|---|-------------------------------|---------------------------------------|------------------|---------------|--|--|
| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
| | | | | | | experience liver damage, and may have an increased risk of getting cancer. |
| Hexachlorobenzene (ppb) | 0.001 | 1000 | 1 | 0.03 | Discharge from metal refineries and agricultural chemical factories | Some people who drink water containing hexachlorobenzene in excess of the MCL over many years may experience liver or kidney problems, or adverse reproductive effects, and may have an increased risk of getting cancer. |
| Hexachlorocyclopentadiene (ppb) | 0.05 | 1000 | 50 | 50 | Discharge from chemical factories | Some people who use water containing hexachlorocyclopentadiene in excess of the MCL over many years may experience kidney or stomach problems. |
| Lindane (ppt) | 0.0002 | 1,000,000 | 200 | 32 | Runoff/leaching from insecticide used on cattle, lumber, gardens | Some people who drink water containing lindane in excess of the MCL over many years may experience kidney or liver problems. |
| Methoxychlor (ppb) | 0.03 | 1000 | 30 | 30 | Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, livestock | Some people who drink water containing methoxychlor in excess of the MCL over many years may experience reproductive difficulties. |
| Molinate (Ordram) (ppb) | 0.02 | 1000 | 20 | n/a | Runoff/leaching from herbicide used on rice | Some people who drink water containing molinate in excess of the MCL over many years may experience reproductive effects. |
| Oxamyl [Vydate] (ppb) | 0.05 | 1000 | 50 | 50 | Runoff/leaching from insecticide used field crops, fruits, ornamentals and especially on apples, potatoes and tomatoes | Some people who drink water containing oxamyl in excess of the MCL over many years may experience slight nervous system effects. |
| PCBs [Polychlorinated biphen-yls] (ppt) | 0.0005 | 1,000,000 | 500 | (0) | Runoff from landfills; discharge of waste chemicals | Some people who drink water containing PCBs in excess of the MCL over many years may experience changes in their skin, thymus gland problems, immune deficiencies, or reproductive or nervous system difficulties, and may have an increased risk of |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language | | |
|-------------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|---|--|--|
| | | | | | | getting cancer. | | |
| Pentachlorophenol (ppb) | 0.001 | 1000 | 1 | 0.4 | Discharge from wood preserving factories, cotton and other insecticidal, herbicidal uses | Some people who use water containing pentachlorophenol in excess of the MCL over many years may experience liver or kidney problems, and may have an increased risk of getting cancer. | | |
| Picloram (ppb) | 0.5 | 1000 | 500 | 500 | Herbicide runoff | Some people who drink water containing picloram in excess of the MCL over many years may experience liver problems. | | |
| Simazine (ppb) | 0.004 | 1000 | 4 | 4 | Herbicide runoff | Some people who use water containing simazine in excess of the MCL over many years may experience blood problems. | | |
| Thiobencarb (ppb) | 0.07 | 1000 | 70 | 70 | Runoff/leaching from herbicide used on rice | Some people who use water containing thiobencarb in excess of the MCL over many years may experience body weight and blood effects. | | |
| Toxaphene (ppb) | 0.003 | 1000 | 3 | 0.03 | Runoff/leaching from insecticide used on cotton and cattle | Some people who use water containing toxaphene in excess of the MCL over many years may experience kidney, liver, or thyroid problems, and may have an increased risk of getting cancer. | | |
| Volatile Organic Contaminants | | | | | | | | |
| Benzene (ppb) | 0.001 | 1000 | 1 | 0.15 | Discharge from plastics, dyes and nylon factories; leaching from gas storage tanks and landfills | Some people who use water containing benzene in excess of the MCL over many years may experience anemia or a decrease in blood platelets, and may have an increased risk of getting cancer. | | |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|--------------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| | | | | | | |
| Carbon tetrachloride (ppt) | .0005 | 1,000,000 | 500 | 100 | Discharge from chemical plants and other industrial activities | Some people who use water containing carbon tetrachloride in excess of the MCL over many years may experience liver problems, and may have an increased risk of getting cancer. |
| o-Dichlorobenzene (ppb) | 0.6 | 1000 | 600 | 600 | Discharge from industrial chemical factories | Some people who drink water containing o- dichlorobenzene in excess of the MCL over many years may experience liver, kidney, or circulatory system problems. |
| p-Dichlorobenzene (ppb) | 0.005 | 1000 | 5 | 6 | Discharge from industrial chemical factories | Some people who use water containing p- dichlorobenzene in excess of the MCL over many years may experience anemia, damage to their liver, kidneys, or spleen, or changes in their blood. |
| 1,1-Dichloroethane (ppb) | 0.005 | 1000 | 5 | 3 | Extraction and degreasing solvent; used in manufacture of pharmaceuticals, stone, clay and glass products; fumigant | Some people who use water containing 1,1-dichloroethane in excess of the MCL over many years may experience nervous system or respiratory problems. |
| 1,2-Dichloroethane (ppt) | 0.0005 | 1,000,000 | 500 | 400 | Discharge from industrial chemical factories | Some people who use water containing 1,2-dichloroethane in excess of the MCL over many years may have an increased risk of getting cancer. |
| 1,1-Dichloroethylene (ppb) | 0.006 | 1000 | 6 | 10 | Discharge from industrial chemical factories | Some people who use water containing 1,1-dichloroethylene in excess of the MCL over many years may experience liver problems. |
| cis-1,2-Dichloroethylene (ppb) | 0.006 | 1000 | 6 | (70) | Discharge from industrial chemical factories; major biodegradation product of | Some people who use water containing cis-1,2-dichloroethylene in excess of the MCL over many years may experience liver problems. |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|--|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| | | | | | TCE and PCE groundwater contamination | |
| trans-1,2-Dichloroethylene (ppb) | 0.01 | 1000 | 10 | (100) | Discharge from industrial chemical factories; minor biodegradation product of TCE and PCE groundwater contamination | Some people who drink water containing trans-1,2-dichloroethylene in excess of the MCL over many years may experience liver problems. |
| Dichloromethane (ppb) | 0.005 | 1000 | 5 | 4 | Discharge from pharmaceutical and chemical factories; insecticide | Some people who drink water containing dichloromethane in excess of the MCL over many years may experience liver problems, and may have an increased risk of getting cancer. |
| 1,2-Dichloropropane (ppb) | 0.005 | 1000 | 5 | 0.5 | Discharge from industrial chemical factories; primary component of some fumigants | Some people who use water containing 1,2-dichloropropane in excess of the MCL over many years may have an increased risk of getting cancer. |
| 1,3-Dichloropropene (ppt) | 0.0005 | 1,000,000 | 500 | 200 | Runoff/leaching from nematocide used on croplands | Some people who use water containing 1,3-dichloropropene in excess of the MCL over many years may have an increased risk of getting cancer. |
| Ethylbenzene (ppb) | 0.3 | 1000 | 300 | 300 | Discharge from petroleum refineries; industrial chemical factories | Some people who use water containing ethylbenzene in excess of the MCL over many years may experience liver or kidney problems. |
| Methyl- <i>tert</i> -butyl ether (ppb) | 0.013 | 1000 | 13 | 13 | Leakage from underground gasoline storage tanks and pipelines. | Some people who use water containing methyl- <i>tert</i> -butyl ether in excess of the MCL over many years may have an increased risk of getting cancer. |
| Monochlorobenzene (ppb) | 0.07 | 1000 | 70 | 200 | Discharge from industrial and agricultural chemical factories and drycleaning facilities | Some people who use water containing monochlorobenzene in excess of the MCL over many years may experience liver or kidney problems. |
| Styrene (ppb) | 0.1 | 1000 | 100 | (100) | Discharge from rubber and plastic factories; leaching | Some people who drink water containing styrene in excess of the MCL over many years may experience |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|---------------------------------|-------------------------------|---------------------------------------|------------------|---------------|---|--|
| | | | | | from landfills | liver, kidney, or circulatory system problems. |
| 1,1,2,2-Tetrachloroethane (ppb) | 0.001 | 1000 | 1 | 0.1 | Discharge from industrial and agricultural chemical factories; solvent used in production of TCE, pesticides, varnish and lacquers | Some people who use water containing 1,1,2,2-tetrachloroethane in excess of the MCL over many years may experience liver and nervous system problems. |
| Tetrachloroethylene (PCE) (ppb) | 0.005 | 1000 | 5 | 0.06 | Discharge from factories, dry cleaners, and auto shops (metal degreaser) | Some people who use water containing tetrachloroethylene in excess of the MCL over many years may experience liver problems, and may have an increased risk of getting cancer. |
| 1,2,4-Trichlorobenzene (ppb) | 0.005 | 1000 | 5 | 5 | Discharge from textile- finishing factories | Some people who use water containing 1,2,4-trichlorobenzene in excess of the MCL over many years may experience adrenal gland changes. |
| 1,1,1-Trichloroethane (ppb) | 0.2 | 1000 | 200 | (200) | Discharge from metal degreasing sites and other factories; manufacture of food wrappings | Some people who use water containing 1,1,1-trichloroethane in excess of the MCL over many years may experience liver, nervous system, or circulatory system problems. |
| 1,1,2-Trichloroethane (ppb) | 0.005 | 1000 | 5 | (3) | Discharge from industrial chemical factories | Some people who use water containing 1,1,2-trichloroethane in excess of the MCL over many years may experience liver, kidney or immune system problems. |
| Trichloroethylene (TCE) (ppb) | 0.005 | 1000 | 5 | 0.8 | Discharge from metal degreasing sites and other factories | Some people who use water containing trichloroethylene in excess of the MCL over many years may experience liver problems, and may have an increased risk of getting cancer. |
| Toluene (ppb) | 0.15 | 1000 | 150 | 150 | Discharge from petroleum and chemical factories; underground gas tank leaks | Some people who use water containing toluene in excess of the MCL over many years may experience nervous system, kidney, or liver problems. |
| Trichlorofluoromethane (ppb) | 0.15 | 1000 | 150 | 700 | Discharge from industrial | Some people who use water containing |

| Contaminant (CCR units) | traditional MCL in mg/L | to convert for CCR, multiply by | MCL in CCR units | PHG (MCLG) | Major Sources in Drinking Water | Health Effects Language |
|---|-------------------------------|---------------------------------------|------------------|---------------|--|---|
| | | | | | factories; degreasing solvent; propellant and refrigerant | trichlorofluoromethane in excess of the MCL over many years may experience liver problems. |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (ppm) | 1.2 | _ | 1.2 | 4 | Discharge from petroleum and chemical factories; fuel solvent | Some people who use water containing 1,1,2- Trichloro-1,2,2-trifluoroethane in excess of the MCL over many years may experience liver problems. |
| Vinyl Chloride (ppt) | 0.0005 | 1,000,000 | 500 | 50 | Leaching from PVC piping; discharge from plastics factories; biodegradation byproduct of TCE and PCE groundwater contamination | Some people who use water containing vinyl chloride in excess of the MCL over many years may have an increased risk of getting cancer. |
| Xylenes (ppm) | 1.750 | - | 1.750 | 1.8 | Discharge from petroleum and chemical factories; fuel solvent | Some people who use water containing xylenes in excess of the MCL over many years may experience nervous system damage. |

| Contaminant (CCR units) | traditional MCL or [MRDL] in mg/L | to convert for CCR, multiply by | MCL or [MRDL] in CCR units | PHG (MCLG) or [MRDLG] | Major Sources in Drinking Water | Health Effects Language | | | |
|--|--|---------------------------------------|-------------------------------------|-----------------------------|--|---|--|--|--|
| Disinfection Byproducts, Disinfectant Residuals, and Disinfection Byproduct Precursors Federal Rule | | | | | | | | | |
| TTHMs [Total Trihalomethanes] (ppb) | 0.080 | 1000 | 80 | n/a | Byproduct of drinking water chlorination | Some people who use water containing trihalomethanes in excess of the MCL over many years may experience liver, kidney, or central nervous system problems, and may have an increased risk of | | | |

| | . 10.0 | |) (CI | | | |
|-------------------------|---|----------------------|---|-------------------|---|---|
| | traditional MCL or | to convert | MCL or [MRDL] | PHG | | |
| Contaminant (CCR units) | [MRDL] in mg/L | for CCR, multiply by | in CCR units | (MCLG) or [MRDLG] | Major Sources in Drinking Water | Health Effects Language |
| | 1 1119/2 | manupiy oy | G FFFF | [IIIIIIII | 1, 4,00 | getting cancer. |
| Halocetic Acids (ppb) | 0.060 | 1000 | 60 | n/a | Byproduct of drinking water disinfection | Some people who drink water containing halocetic acids in excess of the MCL over many years may have an increased risk of getting cancer. |
| Bromate (ppb) | 0.010 | 1000 | 10 | (0) | Byproduct of drinking water disinfection | Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of getting cancer. |
| Chloramines (ppm) | [MRDL= 4.0 (as Cl ₂₎] | - | [MRDL= 4.0 (as Cl ₂₎] | | Drinking water disinfectant added for treatment | Some people who use water containing chloramines well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chloramines well in excess of the MRDL could experience stomach discomfort. |
| Chlorine (ppm) | [MRDL= 4.0 (as Cl ₂₎] | - | [MRDL= 4.0 (as Cl ₂₎] | - | Drinking water disinfectant added for treatment | Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort. |
| Chlorite (ppm) | 1.0 | - | 1.0 | (0.8) | Byproduct of drinking water disinfection | Some infants and young children who drink water containing chlorite in excess of the MCL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink water containing chlorite in excess of the MCL. Some people may experience anemia. |
| Chlorine Dioxide (ppb) | [MRDL = 0.8 (as ClO ₂)] | 1000 | [MRDL = 800 (as ClO ₂)] | = 800 (as | Drinking water disinfectant added for treatment | Some infants and young children who drink water containing chlorine dioxide in excess of the MRDL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink the water. |

| Contaminant (CCR units) | traditional MCL or [MRDL] in mg/L | to convert for CCR, multiply by | MCL or [MRDL] in CCR units | PHG (MCLG) or [MRDLG] | Major Sources in Drinking Water | Health Effects Language |
|---------------------------------|--|---------------------------------------|-------------------------------------|-----------------------------|-------------------------------------|---|
| Control of DBP precursors (TOC) | treatment technique | - | _ | <u>-</u> | Various natural and manmade sources | Total organic carbon (TOC) has no health effects. However, total organic carbon provides a medium for the formation of disinfection byproducts. These byproducts include trihalomelthanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous system effects, and may lead to an increased risk of cancer. |

Appendix A-2 Regulated Contaminants with Secondary MCLs

Section 64449, Chapter 15, Title 22, California Code of Regulations

| Constituent | Secondary MCL (units) | To convert to CCR, multiply by: | MCL in CCR units | Typical Source of Contaminant |
|--------------------------------|-----------------------------|--|-------------------|--|
| Aluminum | 0.2 mg/L | 1000 | 200 ug/L | Erosion of natural deposits; residual from some surface water treatment processes |
| Color | 15 Units | - | 15 Units | Naturally-occurring organic materials |
| Copper | 1.0 mg/L | - | 1.0 mg/L | Leaching from natural deposits; discharge from mining and industrial waste; leaching from copper pipes |
| Corrosivity | Non- corrosive | - | Non- corrosive | Natural or industrially-influenced balance of hydrogen, carbon and oxygen in the water; affected by temperature and other factors. |
| Foaming Agents (MBAS) | 0.5 mg/L | 1000 | 500 ug/L | Municipal and industrial waste discharges |
| Iron | 0.3 mg/L | 1000 | 300 ug/L | Leaching from natural deposits; industrial wastes |
| Manganese | 0.05 mg/L | 1000 | 50 ug/L | Leaching from natural deposits |
| Methyl-tert-butyl ether (MTBE) | 0.005 mg/L | 1000 | 5 ug/L | Leaking underground storage tanks; discharge from petroleum and chemical factories; |
| OdorThreshold | 3 Units | = | 3 Units | Naturally-occurring organic materials |
| Silver | 0.1 mg/L | 1000 | 100 ug/L | Industrial discharges |
| Thiobencarb | 0.001 mg/L | 1000 | 1 ug/L | Runoff/leaching from rice herbicide |
| Turbidity | 5 Units | - | 5 Units | Soil runoff |
| Zinc | 5.0 mg/L | - | 5.0 mg/L | Runoff/leaching from natural deposits; industrial wastes |
| Total dissolved | 1000 mg/L | - | 1,000 mg/L | Runoff/leaching from natural deposits |
| solids | | | | |
| Specific | 1,600 | - | 1,600 | Substances that form ions when in water; |
| conductance | micromhos | | michromhos | seawater influence |
| Chloride | 500 mg/L | - | 500 mg/L | Runoff/leaching from natural deposits; seawater influence |
| Sulfate | 500 mg/L | - | 500 mg/L | Runoff/leaching from natural deposits; industrial wastes |

Appendix A-3: State Regulated Contaminants with No MCLs

i.e., "Unregulated Contaminants"

Monitoring required by Section 64450, Chapter 15, Title 22, California Code of Regulations

Note: Detected chemical results must be included in the CCR, but inclusion of the action level and health effects language for levels above the action level is only recommended, not required.

| recommended, not requi | | II. Id. Effects I |
|-------------------------------|------------------|--|
| Chemical | Action | Health Effects Language |
| | Level | (Optional) |
| Boron | (ug/L) 1,000 | Some men who drink water containing boron in excess of |
| | | the action level over many years may experience |
| | | reproductive effects, based on studies in dogs. |
| Chromium VI | n/a | n/a |
| (Hexavalent chromium) | | |
| Dichlorodifluoromethane | 1,000 | Some people who drink water containing |
| (Freon 12) | | dichlorodifluoromethane far in excess of the action level |
| | | may experience neurological and cardiac effects. Long- |
| | | term exposures to dichlorodifluoromethane resulted in |
| | | smaller body weight in laboratory animals. |
| Etherit tout heaterl others | n/a | |
| Ethyl-tert-butyl ether (ETBE) | n/a | n/a |
| Perchlorate | <mark>6</mark> | Come manufactula diinterrotor containing manufactula |
| reicinorate | l <mark>o</mark> | Some people who drink water containing perchlorate in |
| | | excess of the action level may experience effects |
| | | associated with hypothyroidism. Perchlorate interferes with |
| | | the production of thyroid hormones, which are required for |
| | | normal pre- and postnatal development in humans, as well |
| | | as normal body metabolism. |
| tert-Amyl-methyl ether | n/a | n/a |
| (TAME) | | |
| tert-Butyl alcohol | 12 | Some people who use water containing tert-butyl alcohol in |
| (TBA) | | excess of the action level over many years may have an |
| , | | increased risk of getting cancer, based on studies in |
| | | laboratory animals. |
| Trichloropropers | 0.005 | |
| Trichloropropane | 0.003 | Some people who use water containing 1,2,3- |
| (1,2,3-TCP) | | trichloropropane in excess of the action level over many |
| | 1 | years may have an increased risk of getting cancer, based |
| | | on studies in laboratory animals. |
| Vanadium | 50 | The babies of some pregnant women who drink water |
| | 1 | containing vanadium in excess of the action level may have |
| | | an increased risk of developmental effects, based on studies |
| | | in laboratory animals. |
| | <u> </u> | in idooratory diffinals. |

Appendix A-4: Federal Regulated Contaminants with No MCLs

| List 1 – Assessment Monitoring | | | | | |
|--------------------------------|------------------------|--------------|--|--|--|
| 2,4-dinitrotoluene | DCPA di-acid degradate | MTBE | | | |
| 2,6-dinitrotoluene | 4,4'-DDE | nitrobenzene | | | |
| acetochlor | EPTC | perchlorate | | | |
| DCPA mono-acid degradate | molinate | terbacil | | | |

List 2 – Screening Survey

| 1,2-diphenylhydrazine | alachlor ESA | linuron |
|-----------------------|--------------|--------------|
| 2-methyl-phenol | diazinon | nitrobenzene |
| 2,4-dichlorophenol | disulfoton | prometon |
| 2,4-dinitrophenol | diuron | RDX |
| 2,4,6-trichlorophenol | fonofos | terbufos |
| 4 | | |

Aeromonas

Appendix B: California's Detection Limits for Purposes of Reporting (DLRs)

Note: these DLRs are for your information. Many of the DLRs below are for contaminants that you do not have to report in your CCR; however, the Department encourages you to report any of these that you find, particularly if there is a proposed regulation for the detected chemical, or there is health guidance available (USEPA health advisory or Department State action level).

Most contaminants with primary MCLs have DLRs that are in the Title 22 regulations. All other DLRs can be found on the Department's laboratory reporting forms from which the tables below were excerpted; the forms are available on the Department's website via the bullet labeled "Hard Copy Reporting Forms" on the page at http://www.dhs.ca.gov/ps/ddwem/publications/library.htm

If you are uncertain about the inclusion of certain data, talk to your primacy agency. If you can't find a contaminant listed below and your lab analysis provides a detected value for that contaminant, the Department recommends that you report it in your CCR. If you're uncertain, always provide too much data rather than too little.

| CHEMICAL | ENTRY | DLR |
|---|--------------|-------|
| (BASE, NEUTRALS, AND ACIDS ORGANIC ANALYSIS) | # | μG/L |
| Acenaphthene | 34205 | 5.00 |
| Acenaphthylene | 34200 | 5.00 |
| Acetone | 81552 | |
| Anthracene | 34220 | |
| Benzo (a) Anthracene | 94526 | 10.00 |
| Benzo (b) Fluoranthene | 34230 | 10.00 |
| Benzo (k) Fluoranthene | 34242 | 10.00 |
| Benzo (ghi) Perylene | 34521 | 10.00 |
| Benzyl Butyl Phthalate | 34292 | 10.00 |
| beta-BHC | 39338 | .05 |
| delta-BHC | 34259 | .05 |
| bis (2-Chloroethoxy) methane | 34278 | 5.00 |
| bis (2-Chloroisopropyl) Ether | 34283 | 5.00 |
| 4-Bromophenyl Phenyl Ether | 34636 | 5.00 |
| 2-Chloronaphthalene | 34581 | 5.00 |
| 4-Chlorophenyl phenyl Ether | 34641 | 5.00 |
| Chrysene | 34320 | 5.00 |
| 4,4'-DDD | 39310 | .02 |
| 4,4'-DDE | 39320 | .01 |
| 4,4'-DDT | 39300 | .02 |
| Dibenzo (a,h) anthracene | 34556 | 5.00 |
| di-n-Butylphthalate | 39110 | 5.00 |
| 3,3-Dichlorobenzidine | 34631 | 20.00 |
| 1,4-Dichlorobutane | 77285 | |
| Diethylbenzene | 78214 | |
| Diethylphthalate | 34336 | 5.00 |

| CHEMICAL | ENTRY | DLR |
|---|--------------|-----------|
| (BASE, NEUTRALS, AND ACIDS ORGANIC ANALYSIS) | # | $\mu G/L$ |
| bis-1,1-Dimethylethylperoxide | A-018 | |
| bis-1,1-Dimethylperoxide | A-015 | |
| Dimethyl phthalate | 34341 | 5.00 |
| 2,4-Dinitrotoluene | 34611 | 5.00 |
| 2,6-Dinitrotoluene | 34626 | 5.00 |
| di-n-Octylphthalate | 34596 | 5.00 |
| Endosulfan Sulfate | 34351 | .05 |
| Endrin Aldehyde | 34366 | .05 |
| Fluoranthene | 34376 | 5.00 |
| Fluorene | 34381 | 5.00 |
| Hexachloroethane | 34396 | 5.00 |
| Hexanol | 81591 | |
| Hydrazine | 81313 | |
| Indeno (1,2,3-cd) Pyrene | 34403 | 10.00 |
| Isophorone | 34408 | 10.00 |
| Kerosine | 78878 | |
| 1-Naphthol | 77441 | |
| N-Nitrosodi-n-Propylamine | 34428 | 5.00 |
| n-Octacosane | 78116 | |
| Phenanthrene | 34461 | 5.00 |
| Propane | 82358 | |
| Pyrene | 34469 | 5.00 |
| Vinyl Acetate | 77057 | |
| ACID EXTRACTANTS | | |
| 4-Chloro-3-Methylphenol | 34452 | 5.00 |
| 2-Chlorophenol | 34586 | 5.00 |
| 2,4-Dichlorophenol | 34601 | 5.00 |
| 2,4-Dimethylphenol | 34606 | 5.00 |
| 2,4-Dinitrophenol | 34616 | 5.00 |
| 2-Methyl-4,6-Dinitrophenol | 34657 | 5.00 |
| 2-Nitrophenol | 34591 | 5.00 |
| 4-Nitrophenol | 34645 | 5.00 |
| Phenol (Carbolic Acid) | 34694 | 5.00 |
| 2,4,6-Trichlorophenol | 34621 | 5.00 |
| ADDITIONAL EXTRACTABLE PARAMETERS | | |
| Benzidine | 39120 | 5.00 |
| alpha-BHC | 39337 | .01 |
| Endosulfan I | 34361 | .01 |
| Endosulfan II | 34356 | .01 |
| N-Nitrosodimethylamine (NDMA) | 34438 | .002 |
| N-Nitrosodiphenylamine | 34433 | 5.00 |

| MCL | REPORTING | CHEMICAL | ENTRY | DLR |
|-----|--------------|----------------------------|--------------|-----|
| | UNITS | | # | |
| | mg/L | Hardness, (Total) as CACO3 | 00900 | |
| | mg/L | Calcium (Ca) | 00916 | |
| | mg/L | Magnesium (Mg) | 00927 | |
| | mg/L | Sodium (Na) | 00929 | |

| MCL | REPORTING UNITS | CHEMICAL | ENTRY # | DLR |
|---------------|--------------------|--|------------|------|
| | mg/L | Potassium (K) | 00937 | |
| Total Cations | me/L | Value: | 00,21 | 1 |
| Town Cavions | mg/L | Alkalinity, (Total) (as CaCO3 | 00410 | |
| | | equivalents) | | |
| | mg/L | Hydroxide (as OH) | 71830 | |
| | mg/L | Carbonate (as CO3) | 00445 | |
| | mg/L | Bicarbonate (as HCO3) | 00440 | |
| * | mg/L + | Sulfate (SO4) | 00945 | 0.5 |
| * | mg/L + | Chloride | 00940 | |
| 45 | mg/L | Nitrate (NO3) | 71850 | 2. |
| 2.0 | mg/L | Fluoride (F) (Natural-Source) | 00951 | 0.1 |
| Total Anions | me/L | Value: | | |
| | Std Units + | pH, Laboratory | 00403 | |
| ** | umhos + | Specific Conductance (E.C.) | 00095 | |
| *** | mg/L + | Total Filterable Residue @ 180 C (TDS) | 70300 | |
| 15 | UNITS | Color, Apparent (Unfiltered) | 00081 | |
| 3 | TON | Odor Threshold @ 60 C | 00086 | 1. |
| 5 | NTU | Turbidity, Laboratory | 82079 | |
| 0.5 | mg/L + | MBAS | 38260 | |
| 1000 | /T | A 1 (A 1) | 01105 | 50 |
| 1000 | ug/L | Aluminum (Al) | 01105 | 50. |
| 6 | ug/L | Antimony | 01097 | 6. |
| 50 | ug/L | Arsenic (As) | 01002 | 2. |
| 1000 | ug/L | Barium (Ba) | 01007 | 100. |
| 4 | ug/L | Beryllium | 01012 | 1. |
| 5 | ug/L | Cadmium (Cd) | 01027 | 1. |
| 50 | ug/L | Chromium (Total Cr) | 01034 | 10. |
| | ug/L | Chromium (Total Cr-Cr VI screen) | A-044 | 1. |
| 1000 | ug/L | Chromium, hexavalent (CrVI) | 01032 | 1. |
| 1000 | ug/L + | Copper (Cu) | 01042 | 50. |
| 300 | ug/L + | Iron (Fe) | 01045 | 100. |
| | ug/L | Lead (Pb) | 01051 | 5. |
| 50 | ug/L + | Manganese (Mn) | 01055 | 20. |
| 2 | ug/L | Mercury (Hg) | 71900 | 1. |
| 100 | ug/L | Nickel | 01067 | 10. |
| 50 | ug/L | Selenium (Se) | 01147 | 5. |
| 100 | ug/L + | Silver (Ag) | 01077 | 10. |
| 2 | ug/L | Thallium | 01059 | 1. |
| | ug/L | Uranium | 28011 | 1. |
| 5000 | ug/L | Zinc (Zn) | 01092 | 50. |
| ADDITIONA | L ANALYSES | D: 117 1:14 | 02070 | |
| | NTU | Field Turbidity | 82078 | |
| | С | Source Temperature | 00010 | |
| | | Langelier Index at Source Temp. | 71814 | |
| | | Langelier Index at 60 C | 71813 | |
| | Std Units | Field pH | 00400 | |
| | | Aggressiveness Index | 82383 | |
| | mg/L | Silica | 00955 | |
| | mg/L | Phosphate (as PO4) | 00650 | |

| MCL | REPORTING | CHEMICAL | ENTRY | DLR |
|--------|-----------|---|--------------|------|
| | UNITS | | # | |
| | mg/L | Phosphate, Ortho (as PO4) | 00660 | |
| | mg/L | Iodide | 71865 | |
| | | Sodium Absorption Ratio | 00931 | |
| | | | | |
| 7 | MFL | Asbestos (*) | 81855 | .2 |
| | ug/L | Boron | 01020 | 100. |
| 10,000 | ug/L | Nitrate + Nitrite as Nitrogen (N) | A-029 | 400. |
| 1,000 | ug/L | Nitrite as Nitrogen (N) | 00620 | 400. |
| | mg/L | Fluoride (Treatment Related-Distribution) | A-035 | .1 |
| 150 | ug/L | Cyanide | 01291 | 100. |
| | mg/L | Ammonia | 00612 | |
| | ug/L | Lithium | 01132 | |
| | mg/L | Bromide | 82298 | |
| .010 | mg/L | Bromate | A-027 | .005 |
| | ug/L | Carbon Dioxide | 77000 | |
| | ug/L | Molybdenum | 01062 | |
| | ug/L | Vanadium | 01087 | 3. |
| | mg/L | Hydrogen Sulfide | 71875 | |
| | mg/L | Sulfide | 00745 | |
| | ug/L | Cobalt | 01035 | |
| | ug/L | Perchlorate | A-031 | 4. |
| | ug/L | Chlorate | A-037 | 20. |
| | mg/L | Chlorine Dioxide | 50070 | |
| 1.0 | mg/L | Chlorite | 50074 | .02 |
| | mg/L | Total Organic Carbon (TOC) | 00680 | 0.30 |

+ Indicates Secondary Drinking Water Standards

| CHEMICAL | ENTRY | MCL | DLR |
|------------------------------------|-------|------|-----------|
| | # | μG/L | $\mu G/L$ |
| Total Trihalomethanes (THM'S/TTHM) | 82080 | 100 | • |
| Bromodichloromethane | 32101 | | 0.5 |
| Bromoform | 32104 | | 0.5 |
| Chloroform (Trichloromethane) | 32106 | | 0.5 |
| Dibromochloromethane | 32105 | | 0.5 |
| Haloacetic Acids (five) (HAA5) | A-049 | 60 | |
| Monochloroacetic Acid (MCAA) | A-042 | | 2. |
| Dichloroacetic Acid (DCAA) | 77288 | | 1. |
| Trichloroacetic Acid (TCAA) | 82723 | | 1. |
| Monobromoacetic Acid (MBAA) | A-041 | | 1. |
| Dibromoacetic Acid (DBAA) | 82721 | | 1. |
| | | | |
| Benzene | 34030 | 1 | 0.5 |
| Carbon Tetrachloride | 32102 | .5 | 0.5 |
| 1,2-Dichlorobenzene (o-DCB) | 34536 | 600 | 0.5 |
| 1,4-Dichlorobenzene (p-DCB) | 34571 | 5 | 0.5 |
| 1,1-Dichloroethane (1,1-DCA) | 34496 | 5 | 0.5 |
| 1,2-Dichloroethane (1,2-DCA) | 34531 | .5 | 0.5 |
| 1.1-Dichloroethylene (1.1-DCE) | 34501 | 6 | 0.5 |

| CHEMICAL | ENTRY # | MCL μG/L | DLR μG/L |
|--|------------|-------------|-------------|
| cis-1,2-Dichloroethylene (c-1,2-DCE) | 77093 | 6 | 0.5 |
| trans-1,2-Dichloroethylene (t-1,2-DCE) | 34546 | 10 | 0.5 |
| Dichloromethane (Methylene Chloride) | 34423 | 5 | 0.5 |
| 1,2-Dichloropropane | 34541 | 5 | 0.5 |
| Total 1,3-Dichloropropene | 34561 | .5 | 0.5 |
| Ethyl Benzene | 34371 | 300 | 0.5 |
| Methyl tert-Butyl Ether (MTBE) | 46491 | 5 | 3. |
| Monochlorobenzene (Chlorobenzene) | 34301 | 70 | 0.5 |
| Styrene | 77128 | 100 | 0.5 |
| 1,1,2,2-Tetrachloroethane | 34516 | 1 | 0.5 |
| Tetrachloroethylene (PCE) | 34475 | 5 | 0.5 |
| Toluene | 34010 | 150 | 0.5 |
| 1,2,4-Trichlorobenzene | 34551 | 5 | 0.5 |
| 1,1,1-Trichloroethane (1,1,1-TCA) | 34506 | 200 | 0.5 |
| 1,1,2-Trichloroethane (1,1,2-TCA) | 34511 | 5 | 0.5 |
| Trichloroethylene (TCE) | 39180 | 5 | 0.5 |
| Trichlorofluoromethane (FREON 11) | 34488 | 150 | 5. |
| Trichlorotrifluoroethane (FREON 113) | 81611 | 1200 | 10. |
| Vinyl Chloride (VC) | 39175 | .5 | 0.5 |
| m-Xylene | 81710 | | 0.5 |
| m,p-Xylene | A-014 | | 0.5 |
| o-Xylene | 77135 | | 0.5 |
| p-Xylene | 78132 | | 0.5 |
| Total Xylenes (m,p, & o) | 81551 | 1750 | 0.5 |
| <u> </u> | 1 | N | |
| Dibromochloropropane (DBCP) | 38761 | .2 | 0.01 |
| Ethylene Dibromide (EDB) | 77651 | .05 | 0.02 |
| Endrin | 39390 | 2 | 0.10 |
| Lindane (gamma-BHC) | 39340 | .2 | 0.20 |
| Methoxychlor | 39480 | 30 | 10. |
| Toxaphene | 39400 | 3 | 1. |
| Chlordane | 39350 | .1 | 0.10 |
| Diethylhexylphthalate (DEHP) | 39100 | 4 | 3. |
| Heptachlor | 39410 | .01 | 0.01 |
| Heptachlor Epoxide | 39420 | .01 | 0.01 |
| Atrazine (AATREX) | 39033 | 1 | 0.5 |
| Molinate (ORDRAM) | 82199 | 20 | 2. |
| Simazine (PRINCEP) | 39055 | 4 | 1. |
| Thiobencarb (BOLERO) | A-001 | 70 | 1. |
| Alachlor (ALANEX) | 77825 | 2 | 1. |
| Bentazon (BASAGRAN) | 38710 | 18 | 2. |
| Benzo(a)pyrene | 34247 | .2 | 0.10 |
| 2,3,7,8-TCDD (Dioxin) | 34676 | 3E-5 | 5E-6 |
| 2,4-D | 39730 | 70 | 10. |
| 2,4,5-TP (SILVEX) | 39045 | 50 | 1. |
| Carbofuran (FURADAN) | 81405 | 18 | 5. |
| Dalapon | 38432 | 200 | 10. |
| Dinoseb (DNBP) | 81287 | 7 | 2. |
| | | | |

| Di(2-ethylhexyl) Adipate A-026 400 5. Endothall 38926 100 45. Glyphosate 79743 700 25. Hexachlorocyclopentadiene 3470 10.5 Hexachlorocyclopentadiene 34386 50 1. Oxamyl (Vydate) 38856 50 20. Pentachlorophenol (PCP) 39032 1 0.2 Picloram 39720 500 1. Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 Acetaldehyde 77001 Increase 81555 0.5 Acetaldehyde 77001 <th>CHEMICAL</th> <th>ENTRY #</th> <th>MCL μG/L</th> <th>DLR μG/L</th> | CHEMICAL | ENTRY # | MCL μG/L | DLR μG/L |
|--|---------------------------------------|------------|-------------|-------------|
| Endothall 38926 100 45. Glyphosate 79743 700 25. Hexachlorobenzene 39700 1 0.5 Hexachlorocyclopentadiene 34386 50 1. Oxamyl (Vydate) 38865 50 20. Pentachlorophenol (PCP) 39032 1 0.2 Picloram 39720 500 1. Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 Acetaldehyde 77001 Iert-Amyl Methyl Ether (TAME) A-034 3. Bromochloromethane A-012 0.5 Bromochloromethane A-012 0.5 Bromochloromethane A-012 0.5 Bromochloromethane A-012 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromomethane (Methyl Bromide) 34413 0.5 Iert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 Iert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromochloropopane 77173 0.5 Di-Ibroloropopane 77173 0.5 Di-Ibroloropopane 77168 0.5 Di-Ibroloropopane 77168 0.5 Di-Ibroloropopane 77168 0.5 Dispopopyl Ether (DIPE) A-036 3. Di-Ibroloropopane 77105 0.5 Dispopopyl Ether (DIPE) A-036 3. Di-Ibroloropopane 77105 0.5 Dispopopyl Ether (Cumene) 77223 0.5 Dispopopyl Ether (Cumene) 77233 0.5 Dispopopyl Ether (Cumene) 77233 0.5 Dispopopyl Ether (Cumene) 77233 0.5 Dispopopyl Ether (Cumene) 77223 0.5 Dispopopyl Ether (Cumene) 7722 | Di(2-ethylhexyl) Adipate | A-026 | | • |
| Glyphosate | · · · · · · · · · · · · · · · · · · · | 38926 | 100 | 45. |
| Hexachlorobenzene 39700 | Glyphosate | | | 25. |
| Hexachlorocyclopentadiene 34386 50 1. Oxamyl (Vydate) 38865 50 20. Pentachlorophenol (PCP) 39032 1 0.2 Picloram 39720 500 1. Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 Acetaldehyde 77001 tert-Amyl Methyl Ether (TAME) A-034 3. Bromochloromethane A-012 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromochloroacetic Acid (BDCAA) A-038 1. Bromochloroacetic Acid (BDCAA) A-039 1. Bromochloroacetic Acid (BDCAA) A-039 1. Bromodichloroacetic Acid (BDCAA) A-039 1. Bromochlane (Methyl Bromide) 34413 0.5 tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77353 0.5 tert-Butylbenzene 34311 0.5 tert-Butylbenzene 34311 0.5 2-Chlorothylvinyl Ether 34576 1. Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-009 0.5 Dibromomethane (DBA) 34566 0.5 1,3-Dichlorobenzene (m-DCB) 34668 5. 1,3-Dichloropropane 77170 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77170 0.5 1, | 7.1 | | + | |
| Oxamyl (Vydate) 38865 50 20. Pentachlorophenol (PCP) 39032 1 0.2 Picloram 39720 500 1. Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 Acetaldehyde 77001 tert-Amyl Methyl Ether (TAME) A-034 3. Bromochloromethane A-012 0.5 Bromochloromethane A-012 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromodhloroacetic Acid (BDCAA) A-039 1. Bromomethane (Methyl Bromide) 34413 0.5 tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butyl Formate (TBF) A-047 Chlorothane 34311 0.5 2-Chlorotothuene 4-047 2-Chlorotothuene A-047 2-Chlorotothuene A-008 0.5 4-Chlorotoluene A-008 0.5 4-Chlorotoluene | | | 50 | 1. |
| Pentachlorophenol (PCP) 39032 | * * | | | |
| Picloram 39720 500 1. Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 Acetaldehyde 77001 tert-Amyl Methyl Ether (TAME) A-034 3. Bromobenzene 81555 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromochloroacetic Acid (BCAA) A-038 1. Bromodichloroacetic Acid (BDCAA) A-039 1. Bromomethane (Methyl Bromide) 34413 0.5 Bromochloroacetic Acid (BDCAA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butyl Alcohol (TBA) 77353 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromomethane (TBAA) A-040 2. Dibromomethane (TDB) 34566 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 1,3-Dichloropropane 77173 0.5 1,1-Dichloropropane 771173 0.5 2,2-Dichloropropane 771173 0.5 1,1-Dichloropropane 771173 0.5 1,1-Dichloropropane 771173 0.5 1,1-Dichloropropane 771170 0.5 1,1-Dichloropropane 771171 0.5 1,1-Dichloropropane 771171 0.5 1,1-Dichloropropane 771171 0.5 1,1-Dichloropropane 77123 0.5 1,2-Diphenyllydraine 34346 Ethyl-tert-Butyl Ether (ETBE) 77015 1sopropyl alcohol 770 | | | l | |
| Polychlorinated Biphenyls (Total PCB's) 39516 .5 0.5 | 1 / | | 500 | |
| Acetaldehyde tert-Amyl Methyl Ether (TAME) A-034 A-034 A-034 Bromobenzene B1555 D.5 Bromochloroacetic Acid (BCAA) A-012 Bromochloroacetic Acid (BCAA) A-038 A-039 Bromodichloroacetic Acid (BDCAA) A-039 Bromomethane (Methyl Bromide) A-010 Ctr-Butyl Alcohol (TBA) A-010 A-011 A-012 A-012 A-013 A-013 A-014 A-015 A-016 A-016 A-017 A-017 A-017 A-017 A-018 A-019 Bisopropyl Ether (DIPE) A-033 A-032 A-032 A-032 A-034 A-048 Bisopropyl Ether (DIPE) A-033 A-048 Bisopropyl alcohol Bisopropyl alcohol Bisopropyl alcohol Bisopropyl benzene (Cumene) A-011 Bisopropyl benzene (Cumene) A-011 A-046 A-046 A-046 A-046 A-047 A-046 A-04 | | | ļ | |
| tert-Amyl Methyl Ether (TAME) A-034 3. Bromobenzene 81555 0.5 Bromochloroacetic Acid (BCAA) A-012 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromodichloroacetic Acid (BDCAA) A-039 1. Bromomethane (Methyl Bromide) 34413 0.5 tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butyl Bromate (TBF) A-047 Chloroethane (TBF) A-047 Chloroethane (Methyl Chloride) 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloroethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 0.5 Dibromochloroacetic Acid (CDBAA) A-040 0.5 I,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 5. I,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77168 0.5 I,3-Dichloropropane 77168 0.5 Ij-Dichloropropane 77168 | | | | |
| Bromobenzene 81555 0.5 Bromochloromethane A-012 0.5 Bromochloroacetic Acid (BCAA) A-038 1. Bromodichloroacetic Acid (BDCAA) A-039 1. Bromomethane (Methyl Bromide) 34413 0.5 tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77353 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 4-Chlorotoluene A-009 0.5 1,3-Dichlorobacetic Acid (CDBAA) A-040 2. Dibromochloroacetic Acid (CDBAA) A-0440 2. 1,3-Dichlorobenzene (m-DCB) 34566 0.5 | | 77001 | | |
| Bromochloromethane | tert-Amyl Methyl Ether (TAME) | A-034 | | 3. |
| Bromochloroacetic Acid (BCAA) | Bromobenzene | 81555 | | 0.5 |
| Bromodichloroacetic Acid (BDCAA) A-039 1. | Bromochloromethane | A-012 | | 0.5 |
| Bromomethane (Methyl Bromide) 34413 0.5 tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77350 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 4-Chlorotoluene A-009 0.5 4-Chlorotoluene A-009 0.5 3-Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 0,13-Dichlorobenzene (m-DCB) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane A-007 1,1-Dichloropropane A-007 1,1-Dichloropropane A-007 1,1-Dichloropropane A-032 3. 1,2-Diphenylhydrazine A-032 3. 1,2-Diphenylhydrazine A-033 3. 1,2-Diphenylhydrazine A-034 A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropyl alcohol 77015 Isopropylloluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 Calculate A-045 A-046 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 Calculate A-046 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 Calculate A-046 Calculate A-046 | Bromochloroacetic Acid (BCAA) | A-038 | | 1. |
| tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77353 0.5 tert-Butylbenzene 77353 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane (T7596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Disopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropyl alcohol 77015 Isopropyl Isloene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34447 0.5 | Bromodichloroacetic Acid (BDCAA) | A-039 | | 1. |
| tert-Butyl Alcohol (TBA) 77035 2. n-Butylbenzene A-010 0.5 sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77353 0.5 tert-Butylbenzene 77353 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane (T7596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Disopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropyl alcohol 77015 Isopropyl Isloene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34696 0.5 Nitrobenzene 34447 0.5 | Bromomethane (Methyl Bromide) | 34413 | | 0.5 |
| sec-Butylbenzene 77350 0.5 tert-Butylbenzene 77353 0.5 tert-Butyl Formate (TBF) A-047 Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 4-Chlorotoluene A-0409 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-033 3. 1,2-Diphenylhydrazine< | | 77035 | | 2. |
| tert-Butyl Formate (TBF) Chloroethane 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 2-Chlorotoluene A-008 0.5 2-Chlorotoluene A-008 0.5 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 1. Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 1.3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine A-032 3. 1,2-Diphenylhydrazine A-033 3. Glyoxal Hexachlorobutadiene 1sopropyl Ether (ETBE) A-033 Glyoxal Hexachlorobutadiene A-048 Hexachlorobutadiene A-048 Hexachlorobutadiene A-048 Naphthalene A-046 Naphthalene 34696 0.5 Nitrobenzene Pentachloroethane | n-Butylbenzene | A-010 | | 0.5 |
| tert-Butyl Formate (TBF) Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 134566 0.5 Dichlorodifluoromethane (Freon 12) 34668 5. 1,3-Dichloropropane 77170 0.5 1,1-Dichloropropane 77170 1,1-Dichloropropane 1,1- | sec-Butylbenzene | 77350 | | 0.5 |
| tert-Butyl Formate (TBF) Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) Dichlorodifluoromethane (Freon 12) 1,3-Dichloropropane 77173 0.5 1,3-Dichloropropane 77170 0.5 1,1-Dichloropropane 77170 1,1-Dichloropropane 77168 0.5 1,3-Dichloropropane A-007 1,1-Dichloropropane 77168 0.5 0,5 1,4-Dioxane 1,2-Diphenylhydrazine A-032 3. 1,2-Diphenylhydrazine A-033 3. 1,2-Diphenylhydrazine A-048 Hexachlorobutadiene 34391 Isopropyl alcohol Isopropyl bene (Cumene) p-Isopropyltoluene A-046 Naphthalene 34696 0.5 Nitrobenzene Pentachloroethane 81501 0.5 | tert-Butylbenzene | 77353 | | 0.5 |
| Chloroethane 34311 0.5 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,2-Diphenyllydrazine A-036 3. 1,4-Dioxane A-033 3. 1,2-Diphenyllydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal | · | | | |
| 2-Chloroethylvinyl Ether 34576 1. Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 1,3-Dichloropropane (m-DCB) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,4-Dioxane A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-046 Naphthalene A-046 Nitrobenzene 34447 0.5 | • / | | | 0.5 |
| Chloromethane (Methyl Chloride) 34418 0.5 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 1,3-Dichloropropane (m-DCB) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,4-Dioxane A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-046 Naphthalene 34696 0.5 Nitrobenzene | | | | |
| 2-Chlorotoluene A-008 0.5 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 3. Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 3. Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 5 Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0 | · | | | 0.5 |
| 4-Chlorotoluene A-009 0.5 Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 5 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-046 Naphthalene 34696 0.5 Nitrobenzene 34 | | | | 0.5 |
| Dibromochloroacetic Acid (CDBAA) A-040 2. Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1. 1. Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | 0.5 |
| Dibromomethane 77596 0.5 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane A-007 1.1-Dichloropropane 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1.5 1.5 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | |
| 1,3-Dichlorobenzene (m-DCB) 34566 0.5 Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane A-007 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3 1,4-Dioxane A-032 3 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3 Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | ` / | | | 0.5 |
| Dichlorodifluoromethane (Freon 12) 34668 .5 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane A-007 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 | | | | |
| 1,3-Dichloropropane 77173 0.5 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane A-007 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 5 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | |
| 2,2-Dichloropropane 77170 0.5 1,1-Dichloropropane 77168 0.5 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | ` , | | | 0.5 |
| 1,1-Dichloropropane A-007 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 1 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | , 1 1 | | | 0.5 |
| 1,1-Dichloropropene 77168 0.5 Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 | 7 1 1 | | | 0.0 |
| Diisopropyl Ether (DIPE) A-036 3. 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | 0.5 |
| 1,4-Dioxane A-032 3. 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | , 1 1 | | | |
| 1,2-Diphenylhydrazine 34346 Ethyl-tert-Butyl Ether (ETBE) A-033 Glyoxal A-048 Hexachlorobutadiene 34391 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 p-Isopropyltoluene A-011 2-Methylphenol A-046 Naphthalene 34696 Nitrobenzene 34447 Pentachloroethane 81501 | | | | |
| Ethyl-tert-Butyl Ether (ETBE) A-033 3. Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | |
| Glyoxal A-048 Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | . 1 | | | 3. |
| Hexachlorobutadiene 34391 0.5 Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | J , , , , | | | |
| Isopropyl alcohol 77015 Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 0.5 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | 0.5 |
| Isopropylbenzene (Cumene) 77223 0.5 p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | | | | <u> </u> |
| p-Isopropyltoluene A-011 0.5 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | 1 13 | | | 0.5 |
| 2-Methylphenol A-046 Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | 1 15 | | | 0.5 |
| Naphthalene 34696 0.5 Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | 1 1 1 | | | 0.5 |
| Nitrobenzene 34447 0.5 Pentachloroethane 81501 0.5 | V 1 | | | 0.5 |
| Pentachloroethane 81501 0.5 | 1 | | + | |
| | | | | |
| 111=1 11111V 111 117EUE | n-Propylbenzene | 77224 | + | 0.5 |

| CHEMICAL | ENTRY | MCL | DLR |
|--|-------|------|-------|
| T. 1. 0 | # | μG/L | μG/L |
| Terbufos | 82088 | | 0.5 |
| 1,1,1,2-Tetrachloroethane | 77562 | | 0.5 |
| Tribromoacetic Acid (TBAA) | A-043 | | 4. |
| 1,2,3-Trichlorobenzene | 77613 | | 0.5 |
| 1,3,5-Trichlorobenzene | 77614 | | 0.5 |
| 1,2,3-Trichloropropane | 77443 | | 0.005 |
| 1,2,3-Trimethylbenzene | 77221 | | 0.5 |
| 1,2,4-Trimethylbenzene | 77222 | | 0.5 |
| 1,3,5-Trimethylbenzene | 77226 | | 0.5 |
| Methyl Ethyl Ketone (MEK, Butanone) | 81595 | | 5. |
| Methyl Isobutyl Ketone (MIBK) | 81596 | | 5. |
| bis (2-Chloroethyl) Ether | 34273 | | 5. |
| Acetochlor | 04240 | | 2 |
| | 04240 | | 2. |
| Aldicarb (TEMIK) | 39053 | | 3. |
| Aldicarb Sulfone | A-020 | | 4. |
| Aldicarb Sulfoxide | A-019 | | 3. |
| Aldrin | 39330 | | 0.075 |
| Bromacil (HYVAR) | 82198 | | 10. |
| Butachlor | 77860 | | 0.38 |
| Carbaryl (Sevin) | 77700 | | 5. |
| Carbon Disulfide | 77041 | | 0.5 |
| Chlorothalonil (DACONIL, BRAVO) | 70314 | | 5. |
| DCPA (total di & mono acid degradates) | A-045 | | 1. |
| Diazinon | 39570 | | 0.25 |
| Dicamba (BANVEL) | 82052 | | 1.5 |
| Dieldrin | 39380 | | 0.02 |
| Dimethoate (CYGON) | 38458 | | 10. |
| Diuron | 39650 | | 1. |
| Fonofos | 04095 | | |
| 3-Hydroxycarbofuran | A-021 | | 3. |
| Methomyl | 39051 | | 2. |
| Metolachlor | 39356 | | |
| Metribuzin | 81408 | | |
| Prometryn (CAPAROL) | 39057 | | 2. |
| Propachlor | 38533 | | 0.5 |
| Terbacil | 38882 | | 2. |
| PCB-1016 | 34671 | .5 | .50 |
| PCB-1221 | 39488 | .5 | .50 |
| PCB-1221 | 39492 | .5 | .50 |
| PCB-1232 | 39492 | .5 | .50 |
| PCB-1242 | 39500 | .5 | .50 |
| PCB-1254 | 39504 | .5 | .50 |
| PCB-1254 | 39508 | | .30 |
| I CD-1200 | 37300 | 1 | |

Appendix C: Interpreting monitoring data

□ 1 sampling site/1 sampling date [Regulation section 64481(d)(2)(D)1.A.]:

March 1998 – 0.003

• Report in Table: detected level = 0.003. Report no range.

□ 1 sampling site/multiple samples [Regulation section 64481(d)(2)(D)1.A.]:

| Xylenes | January | April | July | October | Well avg |
|---------|---------|-------|------|---------|----------|
| Well 1 | 2 | 3 | 7 | ND | 3 |

• If source is being reported individually in the Table, report in Table: average detected level = 3 AND range = ND - 7

multiple sampling sites/1 sampling date

[Regulation section 64481(d)(2)(D)1.B.]:

| Barium | Feb 1998 | | |
|--------|----------|--|--|
| well 1 | 0.60 | | |
| well 2 | 0.46 | | |
| well 3 | n/d | | |

• Report in Table: average detected level = 0.35 AND range = n/d - 0.60.

If these sources enter the distribution system at the same point, a flow-weighted average may be reported instead of the average computed by assuming all wells contribute equally, as follows:

Weighted average =
$$0.2(0.60) + 0.4(0.46) + 0.4(n/d) = 0.30$$

• Report in Table: average detected level = 0.30 AND range = n/d - 0.60

multiple sampling sites/one or more sampled more than once in a calendar year (compliance: 4 quarter or 6 month average)

[regulation section 64481(d)(2)(D)1.C.]:

| Xylenes | Jan | April | July | October | Well avg |
|-----------|-------------|-------------|-------------|---------|----------|
| Well 1 | 2 | 3 | 7 | n/d | 3 |
| Well 2 | Not sampled | Not sampled | Not sampled | 8 | 8 |
| Well 3 | Not sampled | 12 | 30 | 18 | 20 |
| All wells | | | | | 10.3 |

• Report in Table: detected level (average of all well averages) = 10.3 AND range: = n/d-30

multiple sampling sites/multiple sampling dates (compliance: running annual average on individual source basis)

[Regulation section 64481(d)(2)(D)2.]:

| Xylenes | 1 st quarter* | | 2 nd quart | ter* | er* 3 rd quarter | | | 4 th quarter | | |
|---------|--------------------------|----------|-----------------------|----------|-----------------------------|----------|--------|-------------------------|--|--|
| | Sample Ru | | Sample | Running | Sample | Running | Sample | Running | | |
| | result | average* | result | average* | result | average* | result | average | | |
| Well 1 | 74 | 42 | 60 | 47 | 28 | 50 | 43 | 53 | | |
| Well 2 | 36 | 26 | 12 | 21 | 6 | 17 | 9 | 16 | | |
| | | | | | | | | | | |

^{*}Running averages are calculated from data for previous quarters that are not shown in this table.

• Report in Table: highest running annual average: 53 AND range = 6 - 74.

multiple sampling sites/multiple sampling dates (compliance: running annual average on system-wide basis---TTHMs)

[Regulation section 64481(d)(2)(D)3.]:

| total trihalomethanes | 2 nd quarter 1997 | 3 rd quarter 1997 | 4 th quarter 1997 | 1 st quarter 1998 | 2 nd quarter 1998 | 3 rd quarter 1998 | 4 th quarter 1998 |
|------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| site #1 | - | - | - | 45 | 60 | 125 | 70 |
| site #2 | - | - | - | 40 | 55 | 115 | 60 |
| site #3 | - | - | - | 45 | 60 | 105 | 70 |
| site #4 | - | - | - | 50 | 65 | 135 | 80 |
| quarterly average | 55 | 125 | 65 | 45 | 60 | 120 | 70 |
| running annual average | - | - | - | 73 | 74 | 73 | 74 |

• Report in Table: highest running annual average: 74 AND range 40-135.

Notes: -- The last 3 quarters of the 1997 are shown because you need them to compute the running annual average. The range would include only detection data from 1998, unless one of the values from the previous year was so extraordinary that consumers would need it to understand the reported annual average.

-- If your running annual average exceeds 80 (the revised MCL effective on the federal level in 2002), your report must include the health effects language for TTHMs in Appendix A-1, even though your system was not technically in violation yet.

Fluoride [regulation section 64481(d)(2)(D)1.A. and B.]:

| contaminant | MCL | PHG | Our H20 | Range | Sample date | violation | source |
|-------------------------|-----|-----|------------|-------|----------------|-----------|---------------------|
| Fluoride | 2 | 1 | .3 | - | - | - | Erosion of |
| (naturally occurring)** | | | | | | | natural deposits |

^{** (}Sample wording): Our water system treats your water by adding fluoride to the naturally occurring level in order to help prevent dental caries in consumers. The fluoride levels in the treated water are maintained within a range of .6 to .9 ppm, as required by Department regulations.

\triangle Lead [regulation section 64481(d)(2)(F)]:

| | site 1 | site 2 | site 3 | site 4 | site 5 | site 6 | site 7 | site 8 | site 9 | site 10 |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| July 1998 | n/d | n/d | 8 | 12 | 19 | 3 | n/d | n/d | 4 | 22 |

- Report in Table: 90th percentile=19 AND # of sites above action level (15)=2
- For small systems collecting 5 samples, if the average of the two highest samples is below the reporting level of 5 ppb, then there is no need to report any detection for lead. If there is only one sample with a detection, then the detected level is divided by 2 and if the result is at or above 5 ppb, then it should be reported on the CCR.
 - If your system takes 20 or more samples and more than 5 % (and up to and including 10%) of the samples are above the action level, you must include the educational language provided on page 10.
 - Water quality parameter data that you collect in association with this rule should not be included in the report.

\Box **Turbidity** [regulation section 64481(d)(2)(E)]:

When reporting turbidity as an indicator of filtration performance, systems must report the highest single measurement and the lowest monthly percentage of samples meeting the requirements specified for that technology. In this situation, you may want to report the data in 2 rows of your table as follows:

For conventional filtration, direct filtration, or diatomaceous earth filtration:

| | MCL | MCLG | level found | range | sample date | violation | typical source |
|-----------|-----------------------------|------|----------------|-------|----------------|-----------|----------------|
| | TT=5.0 NTU | | 1 NTU | n/a | | | |
| Turbidity | TT= 95% of samples <0.5 NTU | n/a | 96 % | n/a | | | soil runoff |

For slow sand filtration:

| | MCL | MCLG | level found | range | sample date | violation | typical source |
|-----------|--|------|----------------|-------|----------------|-----------|----------------|
| | TT =5.0 NTU | | 1 NTU | n/a | | | |
| Turbidity | $TT = 95\% \text{ of}$ $samples \le 1.0 \text{ NTU}$ | n/a | 96 % | n/a | | | soil runoff |

For systems subject to the federal Interim Enhanced Surface Water Treatment Rule (system using surface water or GWUDI, that serves at least 10,000 persons, and uses conventional or direct filtration):

| | MCL | MCLG | level found | range | sample date | violation | typical source |
|-----------|--|------|----------------|-------|----------------|-----------|----------------|
| | TT =1 NTU | | 1 NTU | n/a | | | |
| Turbidity | $TT = 95\% \text{ of}$ $samples \le 0.3 \text{ NTU}$ | n/a | 96 % | n/a | | | soil runoff |

⇔ Radioactivity [regulation section 64481(c)(1)]

Gross alpha monitoring results are used for two purposes: To determine compliance with the gross alpha MCL, and to screen for radium. In both cases, an average of four quarterly samples is used unless the samples have been composited.

<u>Determining MCL compliance</u>: Counting errors and MDAs are not included in the averages of gross alpha or radium data used to determine compliance with the MCLs. Therefore, they are not included in the data reported in the CCR.

<u>Screening to determine if radium testing is necessary:</u> When the gross alpha data is averaged to determine whether radium testing should be conducted, counting errors are added in and the minimum detectable activity (MDA) is substituted in for any zero result. Confusion about radioactivity data reporting for the CCR has resulted from the way the average is calculated for screening purposes, but this approach is not appropriate for CCR data reporting.

Sodium and Hardness [regulation section 64481(c)(4)]

Although sodium and hardness do not have MCLs, they are of interest to many consumers who are concerned about sodium intake and may believe that the hardness of the water could affect their health. Therefore, monitoring is required and detections should be included in the table(s) along with the other data on water quality. Since there are no MCLs/PHGs/MCLGs, just indicate that in the table in some way (e.g., none, N/A).

No "source" is required, though a system may wish to include information such as: "Hardness" is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally-occurring. "Sodium" refers to the salt present in the water and is generally naturally occurring.

NOTE: How to determine "sample result" for a single sample with 1 or 2 confirmation samples (compliance: Alone or averaged with other samples)

| Xylenes | Initial sample | Confirmation 1 | Confirmation 2 | Sample result |
|---------|----------------|----------------|----------------|---------------|
| Well 1 | 37 | ND | 16 | 26.5 |
| Well 2 | 18 | 6 | not needed | 12 |
| Well 3 | 7 | ND | ND | ND |

Appendix D: Certification Form (suggested format)

| The water system named above hereby confirms that its consumer confidence report was distributed on | |
|---|---|
| Certified by: | Name |
| | Signature |
| | Title Phone #Date |
| | t required by the Department to report the following information, but if you want to provide, below. Check all items that apply. |
| CCD | |
| | as distributed by mail or other direct delivery. Specify other direct delivery methods: fforts were used to reach non-bill paying consumers. Those efforts included the following |
| "Good faith" e | |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: _posting the CCR on the Internet at www |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: _posting the CCR on the Internet at www |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: _posting the CCR on the Internet at wwwmailing the CCR to postal patrons within the service area. (attach zip codes used) _advertising availability of the CCR in news media (attach copy of announcement) |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: _posting the CCR on the Internet at www |
| "Good faith" e | fforts were used to reach non-bill paying consumers. Those efforts included the following ommended by the primacy agency: _posting the CCR on the Internet at www |

Appendix E: List of Translations of "Note of Importance" for CCR

Pursuant to Section 64481(l), Chapter 15, Title 22, a utility's CCR is required to include the following sentence translated into Spanish and any language that is spoken by a non-English speaking group that exceeds 1,000 residents or 10% of the residents in a community. "This report contains important information about your drinking water. Translate it, or speak with someone who understands it."

For your use, the Department is providing as many translations as it is able to obtain. If a utility has a translation not available on this website that it would like to share with other utilities, please contact Alexis M. Milea at 510.540.2177 or amilea@dhs.ca.gov.

Spanish:

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

Hmong:

Daimntawv tshaj tawm no muaj lus tseemceeb txog koj cov dej haus. Tshab txhais nws, los yog tham nrog tej tug neeg uas totaub txog nws.

Tagalog:

Mahalaga ang impormasyong ito. Mangyaring ipasalin ito.

Farsi:

French:

Cé rapport contient des information importantes concernant votre eau potable. Veuillez traduire, ou parlez avec quelqu' un qui peut le comprendre.

Arabic:

Polish:

Ta broszura zawiera wazne informacje dotyczace jakosci wody do picia. Przetlumacz zawartosc tej broszury lub skontaktuj sie z osoba ktora pomoze ci w zrozumieniu zawartych informacji.

Russian:

Данный рапорт содержит важную информацию о вашей питьевой воде. Переведите его или проконсультируйтесь с тем, кто его понимает.

Hebrew:

הדו"ח הזה מכיל מידע חשוב לגבי מי השתייה שלך תרגם את הדו"ח או דבר עם מישהו שמבין אותו

Chinese (Traditional):

此份有關你的食水報告,內有重要資料和訊息,請找他人為你翻譯及解釋清楚。

Chinese (Simplified)

此份有关你的食水报告,内有重要资料和讯息,请找他人为你翻译及解释清楚。

Punjabi

ਇਹ ਸੂਚਨਾ ਮਹਤੱਵਪੂਰਣ ਹੈ। ਕ੍ਰਿਪਾ ਕਰਕੇ ਕਿਸੀ ਤੋਂ ਇਸ ਦਾ ਅਨੁਵਾਦ ਕਰਾਉ।

Vietnamese

Chi tiết này thật quan trọng. Xin nhờ người dịch cho quý vị.

<u>Hindi</u>

यह सूचना महत्वपूर्ण है । कृपा करके किसी से :सका अनुवाद करायें ।

<u>Japanese</u>

この情報は重要です。 翻訳を依頼してください。

Korean

이 안내는 매우 중요합니다. 본인을 위해 번역인을 사용하십시요.

Greek

Η κατοθεν αναφορα παρουσιαζη σπουδαιες πληροφορειες για το ποσιμο νερο σας. Πρακακλω να το μεταφρασετε η να το σξολειασετε με καποιον που το καταλαβαινη απολητως.

<u>Laotion</u>

ລາຍງານນີ້ມີຂໍ້ມູນສຳຄັນກ່ຽວກັບນ້ຳປະປາຂອງທ່ານ. ຈົ່ງໃຫ້ຄົນອື່ນແປຄວາມໃຫ້ທ່ານ, ຫລືໃຫ້ປຶກສາກັບຄົນໃດຄົນຫນຶ່ງທີ່ເຂົ້າໃຈເລື່ອງ.

Italian

Questo rapporto contiene informazioni inportanti che riguardano la vostra aqua potabile. Traducetelo, o parlate con una persona qualificata in grado di spiegarvelo.

Khamer

របាយការណ៍នេះមានពតិមានសំខា ន់អំពីទឹកបរិភោគ ។ សូមបកប្រែ ឬពិគ្រោះជាមួយអ្នកដែលមើលយល់ របាយការណ៍នេះ ។